



# BARGE "MM 326"

## INNAGE TRIM TABLE 8" HATCH

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2
1 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2
2 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8
2 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8
3 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8
3 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8
4 PORT	- 01-1/4	01-1/4	- 02-1/2	02-1/2	- 03-7/8	03-7/8	- 05-1/8	05-1/8	- 06-3/8	06-3/8	- 07-5/8	07-5/8
4 STBD	- 01-1/4	01-1/4	- 02-1/2	02-1/2	- 03-7/8	03-7/8	- 05-1/8	05-1/8	- 06-3/8	06-3/8	- 07-5/8	07-5/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

**EXAMPLE FOR ABOVE TRIM CORRECTIONS:**

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS 00-1/8"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"


LENGTH BETWEEN DRAFT MARKS: 236'-09"

April 13, 2020

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "MM 326"

## INNAGE TRIM TABLE MMC

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
2 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8
2 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
4 PORT	- 01-1/8	01-1/8	- 02-1/8	02-1/8	- 03-1/4	03-1/4	- 04-3/8	04-3/8	- 05-1/2	05-1/2	- 06-1/2	06-1/2
4 STBD	- 01-1/8	01-1/8	- 02-1/8	02-1/8	- 03-1/4	03-1/4	- 04-3/8	04-3/8	- 05-1/2	05-1/2	- 06-1/2	06-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 4 PORT IS 02-1/8"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 4 PORT, THE TRIM CORRECTED INNAGE IS 4'-02 1/8"

LENGTH BETWEEN DRAFT MARKS: 236'-09"

April 13, 2020

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "MM 326"

## 1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,407.66	0	2,654.93	0	2,901.34	0	3,147.75	0	3,392.96	0		0		0		0		0	
1/4	2,412.81	1/4	2,660.06	1/4	2,906.47	1/4	3,152.88	1/4	3,397.81	1/4		1/4		1/4		1/4		1/4	
1/2	2,417.96	1/2	2,665.19	1/2	2,911.61	1/2	3,158.02	1/2	3,402.67	1/2		1/2		1/2		1/2		1/2	
3/4	2,423.11	3/4	2,670.33	3/4	2,916.74	3/4	3,163.15	3/4	3,407.52	3/4		3/4		3/4		3/4		3/4	
1	2,428.26	1	2,675.46	1	2,921.87	1	3,168.29	1	3,412.38	1		1		1		1		1	
1/4	2,433.42	1/4	2,680.59	1/4	2,927.01	1/4	3,173.42	1/4	3,416.60	1/4		1/4		1/4		1/4		1/4	
1/2	2,438.57	1/2	2,685.73	1/2	2,932.14	1/2	3,178.55	1/2	3,420.82	1/2		1/2		1/2		1/2		1/2	
3/4	2,443.72	3/4	2,690.86	3/4	2,937.27	3/4	3,183.69	3/4	3,425.05	3/4		3/4		3/4		3/4		3/4	
2	2,448.87	2	2,695.99	2	2,942.41	2	3,188.82	2	3,429.27	2		2		2		2		2	
1/4	2,454.02	1/4	2,701.13	1/4	2,947.54	1/4	3,193.95	1/4	3,432.64	1/4		1/4		1/4		1/4		1/4	
1/2	2,459.17	1/2	2,706.26	1/2	2,952.67	1/2	3,199.09	1/2	3,436.00	1/2		1/2		1/2		1/2		1/2	
3/4	2,464.33	3/4	2,711.40	3/4	2,957.81	3/4	3,204.22	3/4	3,439.37	3/4		3/4		3/4		3/4		3/4	
3	2,469.48	3	2,716.53	3	2,962.94	3	3,209.35	3	3,442.73	3		3		3		3		3	
1/4	2,474.63	1/4	2,721.66	1/4	2,968.08	1/4	3,214.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,479.78	1/2	2,726.80	1/2	2,973.21	1/2	3,219.62	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,484.93	3/4	2,731.93	3/4	2,978.34	3/4	3,224.76	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,490.09	4	2,737.06	4	2,983.48	4	3,229.89	4		4		4		4		4		4	
1/4	2,495.24	1/4	2,742.20	1/4	2,988.61	1/4	3,235.02	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,500.39	1/2	2,747.33	1/2	2,993.74	1/2	3,240.16	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,505.54	3/4	2,752.46	3/4	2,998.88	3/4	3,245.29	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,510.69	5	2,757.60	5	3,004.01	5	3,250.42	5		5		5		5		5		5	
1/4	2,515.84	1/4	2,762.73	1/4	3,009.14	1/4	3,255.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,521.00	1/2	2,767.86	1/2	3,014.28	1/2	3,260.69	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,526.15	3/4	2,773.00	3/4	3,019.41	3/4	3,265.82	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,531.30	6	2,778.13	6	3,024.54	6	3,270.96	6		6		6		6		6		6	
1/4	2,536.45	1/4	2,783.27	1/4	3,029.68	1/4	3,276.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,541.60	1/2	2,788.40	1/2	3,034.81	1/2	3,281.17	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,546.75	3/4	2,793.53	3/4	3,039.95	3/4	3,286.28	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,551.91	7	2,798.67	7	3,045.08	7	3,291.39	7		7		7		7		7		7	
1/4	2,557.06	1/4	2,803.80	1/4	3,050.21	1/4	3,296.47	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,562.21	1/2	2,808.93	1/2	3,055.35	1/2	3,301.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,567.36	3/4	2,814.07	3/4	3,060.48	3/4	3,306.63	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,572.51	8	2,819.20	8	3,065.61	8	3,311.72	8		8		8		8		8		8	
1/4	2,577.66	1/4	2,824.33	1/4	3,070.75	1/4	3,316.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,582.82	1/2	2,829.47	1/2	3,075.88	1/2	3,321.88	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,587.97	3/4	2,834.60	3/4	3,081.01	3/4	3,326.97	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,593.12	9	2,839.74	9	3,086.15	9	3,332.05	9		9		9		9		9		9	
1/4	2,598.27	1/4	2,844.87	1/4	3,091.28	1/4	3,337.13	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,603.42	1/2	2,850.00	1/2	3,096.42	1/2	3,342.21	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,608.57	3/4	2,855.14	3/4	3,101.55	3/4	3,347.29	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,613.73	10	2,860.27	10	3,106.68	10	3,352.38	10		10		10		10		10		10	
1/4	2,618.88	1/4	2,865.40	1/4	3,111.82	1/4	3,357.45	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,624.03	1/2	2,870.54	1/2	3,116.95	1/2	3,362.53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,629.18	3/4	2,875.67	3/4	3,122.08	3/4	3,367.61	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,634.33	11	2,880.80	11	3,127.22	11	3,372.69	11		11		11		11		11		11	
1/4	2,639.48	1/4	2,885.94	1/4	3,132.35	1/4	3,377.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,644.63	1/2	2,891.07	1/2	3,137.48	1/2	3,382.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,649.78	3/4	2,896.20	3/4	3,142.62	3/4	3,387.89	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/13/2020 JS  
CALCULATED: 04/14/2020 CL  
PRINTED: 04/15/2020 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2020

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "MM 326"

**1 STBD  
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

**GAUGE HEIGHT 15'-02 1/4"**

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,407.54	0	2,654.59	0	2,900.78	0	3,146.98	0	3,391.98	0		0		0		0		0	
1/4	2,412.69	1/4	2,659.72	1/4	2,905.91	1/4	3,152.11	1/4	3,396.83	1/4		1/4		1/4		1/4		1/4	
1/2	2,417.84	1/2	2,664.84	1/2	2,911.04	1/2	3,157.24	1/2	3,401.68	1/2		1/2		1/2		1/2		1/2	
3/4	2,422.98	3/4	2,669.97	3/4	2,916.17	3/4	3,162.37	3/4	3,406.53	3/4		3/4		3/4		3/4		3/4	
1	2,428.13	1	2,675.10	1	2,921.30	1	3,167.50	1	3,411.38	1		1		1		1		1	
1/4	2,433.28	1/4	2,680.23	1/4	2,926.43	1/4	3,172.63	1/4	3,415.60	1/4		1/4		1/4		1/4		1/4	
1/2	2,438.42	1/2	2,685.36	1/2	2,931.56	1/2	3,177.75	1/2	3,419.82	1/2		1/2		1/2		1/2		1/2	
3/4	2,443.57	3/4	2,690.49	3/4	2,936.69	3/4	3,182.88	3/4	3,424.04	3/4		3/4		3/4		3/4		3/4	
2	2,448.72	2	2,695.62	2	2,941.82	2	3,188.01	2	3,428.26	2		2		2		2		2	
1/4	2,453.87	1/4	2,700.75	1/4	2,946.94	1/4	3,193.14	1/4	3,431.63	1/4		1/4		1/4		1/4		1/4	
1/2	2,459.01	1/2	2,705.88	1/2	2,952.07	1/2	3,198.27	1/2	3,434.99	1/2		1/2		1/2		1/2		1/2	
3/4	2,464.16	3/4	2,711.01	3/4	2,957.20	3/4	3,203.40	3/4	3,438.35	3/4		3/4		3/4		3/4		3/4	
3	2,469.31	3	2,716.14	3	2,962.33	3	3,208.53	3	3,441.71	3		3		3		3		3	
1/4	2,474.45	1/4	2,721.26	1/4	2,967.46	1/4	3,213.66	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,479.60	1/2	2,726.39	1/2	2,972.59	1/2	3,218.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,484.75	3/4	2,731.52	3/4	2,977.72	3/4	3,223.92	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,489.90	4	2,736.65	4	2,982.85	4	3,229.05	4		4		4		4		4		4	
1/4	2,495.04	1/4	2,741.78	1/4	2,987.98	1/4	3,234.17	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,500.19	1/2	2,746.91	1/2	2,993.11	1/2	3,239.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,505.34	3/4	2,752.04	3/4	2,998.24	3/4	3,244.43	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,510.49	5	2,757.17	5	3,003.36	5	3,249.56	5		5		5		5		5		5	
1/4	2,515.63	1/4	2,762.30	1/4	3,008.49	1/4	3,254.69	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,520.78	1/2	2,767.43	1/2	3,013.62	1/2	3,259.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,525.93	3/4	2,772.56	3/4	3,018.75	3/4	3,264.95	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,531.07	6	2,777.68	6	3,023.88	6	3,270.08	6		6		6		6		6		6	
1/4	2,536.22	1/4	2,782.81	1/4	3,029.01	1/4	3,275.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,541.37	1/2	2,787.94	1/2	3,034.14	1/2	3,280.29	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,546.52	3/4	2,793.07	3/4	3,039.27	3/4	3,285.39	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,551.66	7	2,798.20	7	3,044.40	7	3,290.50	7		7		7		7		7		7	
1/4	2,556.81	1/4	2,803.33	1/4	3,049.53	1/4	3,295.58	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,561.96	1/2	2,808.46	1/2	3,054.66	1/2	3,300.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,567.10	3/4	2,813.59	3/4	3,059.79	3/4	3,305.73	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,572.25	8	2,818.72	8	3,064.91	8	3,310.81	8		8		8		8		8		8	
1/4	2,577.40	1/4	2,823.85	1/4	3,070.04	1/4	3,315.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,582.55	1/2	2,828.98	1/2	3,075.17	1/2	3,320.97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,587.69	3/4	2,834.10	3/4	3,080.30	3/4	3,326.05	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,592.84	9	2,839.23	9	3,085.43	9	3,331.12	9		9		9		9		9		9	
1/4	2,597.99	1/4	2,844.36	1/4	3,090.56	1/4	3,336.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,603.13	1/2	2,849.49	1/2	3,095.69	1/2	3,341.28	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,608.28	3/4	2,854.62	3/4	3,100.82	3/4	3,346.36	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,613.43	10	2,859.75	10	3,105.95	10	3,351.43	10		10		10		10		10		10	
1/4	2,618.58	1/4	2,864.88	1/4	3,111.08	1/4	3,356.51	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,623.72	1/2	2,870.01	1/2	3,116.21	1/2	3,361.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,628.87	3/4	2,875.14	3/4	3,121.33	3/4	3,366.66	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,634.02	11	2,880.27	11	3,126.46	11	3,371.73	11		11		11		11		11		11	
1/4	2,639.16	1/4	2,885.40	1/4	3,131.59	1/4	3,376.79	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,644.30	1/2	2,890.52	1/2	3,136.72	1/2	3,381.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,649.44	3/4	2,895.65	3/4	3,141.85	3/4	3,386.92	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/13/2020 JS  
CALCULATED: 04/14/2020 CL  
PRINTED: 04/15/2020 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2020

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "MM 326"

## 2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,021.69	0	3,325.20	0	3,627.88	0	3,930.56	0	4,231.76	0		0		0		0		0	
1/4	3,028.02	1/4	3,331.50	1/4	3,634.19	1/4	3,936.87	1/4	4,237.72	1/4		1/4		1/4		1/4		1/4	
1/2	3,034.34	1/2	3,337.81	1/2	3,640.49	1/2	3,943.17	1/2	4,243.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,040.66	3/4	3,344.11	3/4	3,646.80	3/4	3,949.48	3/4	4,249.65	3/4		3/4		3/4		3/4		3/4	
1	3,046.99	1	3,350.42	1	3,653.10	1	3,955.79	1	4,255.62	1		1		1		1		1	
1/4	3,053.31	1/4	3,356.73	1/4	3,659.41	1/4	3,962.09	1/4	4,260.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,059.64	1/2	3,363.03	1/2	3,665.72	1/2	3,968.40	1/2	4,265.99	1/2		1/2		1/2		1/2		1/2	
3/4	3,065.96	3/4	3,369.34	3/4	3,672.02	3/4	3,974.70	3/4	4,271.18	3/4		3/4		3/4		3/4		3/4	
2	3,072.28	2	3,375.64	2	3,678.33	2	3,981.01	2	4,276.37	2		2		2		2		2	
1/4	3,078.61	1/4	3,381.95	1/4	3,684.63	1/4	3,987.32	1/4	4,280.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,084.93	1/2	3,388.26	1/2	3,690.94	1/2	3,993.62	1/2	4,284.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,091.26	3/4	3,394.56	3/4	3,697.24	3/4	3,999.93	3/4	4,288.78	3/4		3/4		3/4		3/4		3/4	
3	3,097.58	3	3,400.87	3	3,703.55	3	4,006.23	3	4,292.91	3		3		3		3		3	
1/4	3,103.90	1/4	3,407.17	1/4	3,709.86	1/4	4,012.54	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,110.23	1/2	3,413.48	1/2	3,716.16	1/2	4,018.85	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,116.55	3/4	3,419.78	3/4	3,722.47	3/4	4,025.15	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,122.87	4	3,426.09	4	3,728.77	4	4,031.46	4		4		4		4		4		4	
1/4	3,129.20	1/4	3,432.40	1/4	3,735.08	1/4	4,037.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,135.52	1/2	3,438.70	1/2	3,741.39	1/2	4,044.07	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,141.85	3/4	3,445.01	3/4	3,747.69	3/4	4,050.37	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,148.17	5	3,451.31	5	3,754.00	5	4,056.68	5		5		5		5		5		5	
1/4	3,154.49	1/4	3,457.62	1/4	3,760.30	1/4	4,062.99	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,160.82	1/2	3,463.93	1/2	3,766.61	1/2	4,069.29	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,167.14	3/4	3,470.23	3/4	3,772.92	3/4	4,075.60	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,173.47	6	3,476.54	6	3,779.22	6	4,081.90	6		6		6		6		6		6	
1/4	3,179.79	1/4	3,482.84	1/4	3,785.53	1/4	4,088.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,186.11	1/2	3,489.15	1/2	3,791.83	1/2	4,094.45	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,192.44	3/4	3,495.46	3/4	3,798.14	3/4	4,100.72	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,198.76	7	3,501.76	7	3,804.44	7	4,106.99	7		7		7		7		7		7	
1/4	3,205.09	1/4	3,508.07	1/4	3,810.75	1/4	4,113.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,211.41	1/2	3,514.37	1/2	3,817.06	1/2	4,119.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,217.73	3/4	3,520.68	3/4	3,823.36	3/4	4,125.72	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,224.06	8	3,526.99	8	3,829.67	8	4,131.97	8		8		8		8		8		8	
1/4	3,230.38	1/4	3,533.29	1/4	3,835.97	1/4	4,138.21	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,236.71	1/2	3,539.60	1/2	3,842.28	1/2	4,144.46	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,243.03	3/4	3,545.90	3/4	3,848.59	3/4	4,150.70	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,249.35	9	3,552.21	9	3,854.89	9	4,156.94	9		9		9		9		9		9	
1/4	3,255.68	1/4	3,558.51	1/4	3,861.20	1/4	4,163.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,262.00	1/2	3,564.82	1/2	3,867.50	1/2	4,169.43	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,268.32	3/4	3,571.13	3/4	3,873.81	3/4	4,175.67	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,274.65	10	3,577.43	10	3,880.12	10	4,181.91	10		10		10		10		10		10	
1/4	3,280.97	1/4	3,583.74	1/4	3,886.42	1/4	4,188.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,287.30	1/2	3,590.04	1/2	3,892.73	1/2	4,194.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,293.62	3/4	3,596.35	3/4	3,899.03	3/4	4,200.62	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,299.94	11	3,602.66	11	3,905.34	11	4,206.86	11		11		11		11		11		11	
1/4	3,306.26	1/4	3,608.96	1/4	3,911.65	1/4	4,213.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,312.57	1/2	3,615.27	1/2	3,917.95	1/2	4,219.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,318.88	3/4	3,621.57	3/4	3,924.26	3/4	4,225.53	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/13/2020 JS  
CALCULATED: 04/14/2020 CL  
PRINTED: 04/15/2020 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2020

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>







# BARGE "MM 326"

## 2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,034.97	0	3,338.50	0	3,641.17	0	3,943.85	0	4,245.05	0		0		0		0		0	
1/4	3,041.29	1/4	3,344.81	1/4	3,647.48	1/4	3,950.15	1/4	4,251.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,047.62	1/2	3,351.11	1/2	3,653.78	1/2	3,956.46	1/2	4,256.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,053.94	3/4	3,357.42	3/4	3,660.09	3/4	3,962.76	3/4	4,262.95	3/4		3/4		3/4		3/4		3/4	
1	3,060.27	1	3,363.72	1	3,666.40	1	3,969.07	1	4,268.91	1		1		1		1		1	
1/4	3,066.59	1/4	3,370.03	1/4	3,672.70	1/4	3,975.38	1/4	4,274.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,072.91	1/2	3,376.33	1/2	3,679.01	1/2	3,981.68	1/2	4,279.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,079.24	3/4	3,382.64	3/4	3,685.31	3/4	3,987.99	3/4	4,284.47	3/4		3/4		3/4		3/4		3/4	
2	3,085.56	2	3,388.95	2	3,691.62	2	3,994.29	2	4,289.66	2		2		2		2		2	
1/4	3,091.88	1/4	3,395.25	1/4	3,697.92	1/4	4,000.60	1/4	4,293.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,098.21	1/2	3,401.56	1/2	3,704.23	1/2	4,006.90	1/2	4,297.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,104.53	3/4	3,407.86	3/4	3,710.54	3/4	4,013.21	3/4	4,302.07	3/4		3/4		3/4		3/4		3/4	
3	3,110.86	3	3,414.17	3	3,716.84	3	4,019.52	3	4,306.20	3		3		3		3		3	
1/4	3,117.18	1/4	3,420.47	1/4	3,723.15	1/4	4,025.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,123.50	1/2	3,426.78	1/2	3,729.45	1/2	4,032.13	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,129.83	3/4	3,433.09	3/4	3,735.76	3/4	4,038.43	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,136.15	4	3,439.39	4	3,742.06	4	4,044.74	4		4		4		4		4		4	
1/4	3,142.47	1/4	3,445.70	1/4	3,748.37	1/4	4,051.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,148.80	1/2	3,452.00	1/2	3,754.68	1/2	4,057.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,155.12	3/4	3,458.31	3/4	3,760.98	3/4	4,063.66	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,161.45	5	3,464.61	5	3,767.29	5	4,069.96	5		5		5		5		5		5	
1/4	3,167.77	1/4	3,470.92	1/4	3,773.59	1/4	4,076.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,174.09	1/2	3,477.23	1/2	3,779.90	1/2	4,082.57	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,180.42	3/4	3,483.53	3/4	3,786.20	3/4	4,088.88	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,186.74	6	3,489.84	6	3,792.51	6	4,095.18	6		6		6		6		6		6	
1/4	3,193.07	1/4	3,496.14	1/4	3,798.82	1/4	4,101.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,199.39	1/2	3,502.45	1/2	3,805.12	1/2	4,107.74	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,205.71	3/4	3,508.75	3/4	3,811.43	3/4	4,114.01	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,212.04	7	3,515.06	7	3,817.73	7	4,120.29	7		7		7		7		7		7	
1/4	3,218.36	1/4	3,521.37	1/4	3,824.04	1/4	4,126.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,224.68	1/2	3,527.67	1/2	3,830.34	1/2	4,132.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,231.01	3/4	3,533.98	3/4	3,836.65	3/4	4,139.02	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,237.33	8	3,540.28	8	3,842.96	8	4,145.26	8		8		8		8		8		8	
1/4	3,243.66	1/4	3,546.59	1/4	3,849.26	1/4	4,151.51	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,249.98	1/2	3,552.89	1/2	3,855.57	1/2	4,157.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,256.30	3/4	3,559.20	3/4	3,861.87	3/4	4,163.99	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,262.63	9	3,565.50	9	3,868.18	9	4,170.24	9		9		9		9		9		9	
1/4	3,268.95	1/4	3,571.81	1/4	3,874.48	1/4	4,176.48	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,275.27	1/2	3,578.12	1/2	3,880.79	1/2	4,182.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,281.60	3/4	3,584.42	3/4	3,887.10	3/4	4,188.96	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,287.92	10	3,590.73	10	3,893.40	10	4,195.21	10		10		10		10		10		10	
1/4	3,294.25	1/4	3,597.03	1/4	3,899.71	1/4	4,201.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,300.57	1/2	3,603.34	1/2	3,906.01	1/2	4,207.68	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,306.89	3/4	3,609.64	3/4	3,912.32	3/4	4,213.92	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,313.22	11	3,615.95	11	3,918.62	11	4,220.16	11		11		11		11		11		11	
1/4	3,319.54	1/4	3,622.26	1/4	3,924.93	1/4	4,226.38	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,325.86	1/2	3,628.56	1/2	3,931.24	1/2	4,232.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,332.18	3/4	3,634.87	3/4	3,937.54	3/4	4,238.83	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/13/2020 JS  
CALCULATED: 04/14/2020 CL  
PRINTED: 04/15/2020 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2020

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "MM 326"

## 3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,021.59	0	3,325.12	0	3,627.79	0	3,930.47	0	4,231.69	0		0		0		0		0	
1/4	3,027.91	1/4	3,331.43	1/4	3,634.10	1/4	3,936.77	1/4	4,237.65	1/4		1/4		1/4		1/4		1/4	
1/2	3,034.24	1/2	3,337.73	1/2	3,640.41	1/2	3,943.08	1/2	4,243.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,040.56	3/4	3,344.04	3/4	3,646.71	3/4	3,949.38	3/4	4,249.58	3/4		3/4		3/4		3/4		3/4	
1	3,046.89	1	3,350.34	1	3,653.02	1	3,955.69	1	4,255.54	1		1		1		1		1	
1/4	3,053.21	1/4	3,356.65	1/4	3,659.32	1/4	3,962.00	1/4	4,260.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,059.53	1/2	3,362.95	1/2	3,665.63	1/2	3,968.30	1/2	4,265.92	1/2		1/2		1/2		1/2		1/2	
3/4	3,065.86	3/4	3,369.26	3/4	3,671.93	3/4	3,974.61	3/4	4,271.11	3/4		3/4		3/4		3/4		3/4	
2	3,072.18	2	3,375.57	2	3,678.24	2	3,980.91	2	4,276.29	2		2		2		2		2	
1/4	3,078.50	1/4	3,381.87	1/4	3,684.54	1/4	3,987.22	1/4	4,280.43	1/4		1/4		1/4		1/4		1/4	
1/2	3,084.83	1/2	3,388.18	1/2	3,690.85	1/2	3,993.52	1/2	4,284.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,091.15	3/4	3,394.48	3/4	3,697.16	3/4	3,999.83	3/4	4,288.70	3/4		3/4		3/4		3/4		3/4	
3	3,097.48	3	3,400.79	3	3,703.46	3	4,006.14	3	4,292.84	3		3		3		3		3	
1/4	3,103.80	1/4	3,407.09	1/4	3,709.77	1/4	4,012.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,110.12	1/2	3,413.40	1/2	3,716.07	1/2	4,018.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,116.45	3/4	3,419.71	3/4	3,722.38	3/4	4,025.05	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,122.77	4	3,426.01	4	3,728.68	4	4,031.36	4		4		4		4		4		4	
1/4	3,129.10	1/4	3,432.32	1/4	3,734.99	1/4	4,037.66	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,135.42	1/2	3,438.62	1/2	3,741.30	1/2	4,043.97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,141.74	3/4	3,444.93	3/4	3,747.60	3/4	4,050.28	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,148.07	5	3,451.23	5	3,753.91	5	4,056.58	5		5		5		5		5		5	
1/4	3,154.39	1/4	3,457.54	1/4	3,760.21	1/4	4,062.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,160.71	1/2	3,463.85	1/2	3,766.52	1/2	4,069.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,167.04	3/4	3,470.15	3/4	3,772.82	3/4	4,075.50	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,173.36	6	3,476.46	6	3,779.13	6	4,081.80	6		6		6		6		6		6	
1/4	3,179.69	1/4	3,482.76	1/4	3,785.44	1/4	4,088.08	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,186.01	1/2	3,489.07	1/2	3,791.74	1/2	4,094.36	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,192.33	3/4	3,495.37	3/4	3,798.05	3/4	4,100.63	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,198.66	7	3,501.68	7	3,804.35	7	4,106.91	7		7		7		7		7		7	
1/4	3,204.98	1/4	3,507.99	1/4	3,810.66	1/4	4,113.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,211.30	1/2	3,514.29	1/2	3,816.96	1/2	4,119.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,217.63	3/4	3,520.60	3/4	3,823.27	3/4	4,125.64	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,223.95	8	3,526.90	8	3,829.58	8	4,131.88	8		8		8		8		8		8	
1/4	3,230.28	1/4	3,533.21	1/4	3,835.88	1/4	4,138.13	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,236.60	1/2	3,539.51	1/2	3,842.19	1/2	4,144.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,242.92	3/4	3,545.82	3/4	3,848.49	3/4	4,150.61	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,249.25	9	3,552.13	9	3,854.80	9	4,156.86	9		9		9		9		9		9	
1/4	3,255.57	1/4	3,558.43	1/4	3,861.10	1/4	4,163.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,261.89	1/2	3,564.74	1/2	3,867.41	1/2	4,169.34	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,268.22	3/4	3,571.04	3/4	3,873.72	3/4	4,175.59	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,274.54	10	3,577.35	10	3,880.02	10	4,181.83	10		10		10		10		10		10	
1/4	3,280.87	1/4	3,583.65	1/4	3,886.33	1/4	4,188.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,287.19	1/2	3,589.96	1/2	3,892.63	1/2	4,194.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,293.51	3/4	3,596.27	3/4	3,898.94	3/4	4,200.55	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,299.84	11	3,602.57	11	3,905.24	11	4,206.79	11		11		11		11		11		11	
1/4	3,306.16	1/4	3,608.88	1/4	3,911.55	1/4	4,213.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,312.48	1/2	3,615.18	1/2	3,917.86	1/2	4,219.24	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,318.80	3/4	3,621.49	3/4	3,924.16	3/4	4,225.46	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/13/2020 JS  
CALCULATED: 04/14/2020 CL  
PRINTED: 04/15/2020 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2020

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "MM 326"

## 3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,036.79	0	3,340.51	0	3,643.36	0	3,946.22	0	4,247.60	0		0		0		0		0	
1/4	3,043.12	1/4	3,346.82	1/4	3,649.67	1/4	3,952.53	1/4	4,253.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,049.45	1/2	3,353.13	1/2	3,655.98	1/2	3,958.84	1/2	4,259.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,055.78	3/4	3,359.43	3/4	3,662.29	3/4	3,965.15	3/4	4,265.51	3/4		3/4		3/4		3/4		3/4	
1	3,062.10	1	3,365.74	1	3,668.60	1	3,971.46	1	4,271.47	1		1		1		1		1	
1/4	3,068.43	1/4	3,372.05	1/4	3,674.91	1/4	3,977.77	1/4	4,276.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,074.76	1/2	3,378.36	1/2	3,681.22	1/2	3,984.08	1/2	4,281.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,081.09	3/4	3,384.67	3/4	3,687.53	3/4	3,990.38	3/4	4,287.05	3/4		3/4		3/4		3/4		3/4	
2	3,087.41	2	3,390.98	2	3,693.84	2	3,996.69	2	4,292.24	2		2		2		2		2	
1/4	3,093.74	1/4	3,397.29	1/4	3,700.15	1/4	4,003.00	1/4	4,296.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,100.07	1/2	3,403.60	1/2	3,706.46	1/2	4,009.31	1/2	4,300.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,106.40	3/4	3,409.91	3/4	3,712.77	3/4	4,015.62	3/4	4,304.65	3/4		3/4		3/4		3/4		3/4	
3	3,112.73	3	3,416.22	3	3,719.08	3	4,021.93	3	4,308.79	3		3		3		3		3	
1/4	3,119.05	1/4	3,422.53	1/4	3,725.39	1/4	4,028.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,125.38	1/2	3,428.84	1/2	3,731.70	1/2	4,034.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,131.71	3/4	3,435.15	3/4	3,738.00	3/4	4,040.86	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,138.04	4	3,441.46	4	3,744.31	4	4,047.17	4		4		4		4		4		4	
1/4	3,144.36	1/4	3,447.77	1/4	3,750.62	1/4	4,053.48	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,150.69	1/2	3,454.08	1/2	3,756.93	1/2	4,059.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,157.02	3/4	3,460.39	3/4	3,763.24	3/4	4,066.10	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,163.35	5	3,466.70	5	3,769.55	5	4,072.41	5		5		5		5		5		5	
1/4	3,169.67	1/4	3,473.01	1/4	3,775.86	1/4	4,078.72	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,176.00	1/2	3,479.32	1/2	3,782.17	1/2	4,085.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,182.33	3/4	3,485.62	3/4	3,788.48	3/4	4,091.34	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,188.66	6	3,491.93	6	3,794.79	6	4,097.65	6		6		6		6		6		6	
1/4	3,194.98	1/4	3,498.24	1/4	3,801.10	1/4	4,103.93	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,201.31	1/2	3,504.55	1/2	3,807.41	1/2	4,110.21	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,207.64	3/4	3,510.86	3/4	3,813.72	3/4	4,116.49	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,213.97	7	3,517.17	7	3,820.03	7	4,122.77	7		7		7		7		7		7	
1/4	3,220.29	1/4	3,523.48	1/4	3,826.34	1/4	4,129.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,226.62	1/2	3,529.79	1/2	3,832.65	1/2	4,135.26	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,232.95	3/4	3,536.10	3/4	3,838.96	3/4	4,141.51	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,239.28	8	3,542.41	8	3,845.27	8	4,147.75	8		8		8		8		8		8	
1/4	3,245.60	1/4	3,548.72	1/4	3,851.58	1/4	4,154.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,251.93	1/2	3,555.03	1/2	3,857.89	1/2	4,160.25	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,258.26	3/4	3,561.34	3/4	3,864.19	3/4	4,166.49	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,264.59	9	3,567.65	9	3,870.50	9	4,172.74	9		9		9		9		9		9	
1/4	3,270.92	1/4	3,573.96	1/4	3,876.81	1/4	4,178.99	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,277.24	1/2	3,580.27	1/2	3,883.12	1/2	4,185.23	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,283.57	3/4	3,586.58	3/4	3,889.43	3/4	4,191.48	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,289.90	10	3,592.89	10	3,895.74	10	4,197.73	10		10		10		10		10		10	
1/4	3,296.23	1/4	3,599.20	1/4	3,902.05	1/4	4,203.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,302.55	1/2	3,605.51	1/2	3,908.36	1/2	4,210.21	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,308.88	3/4	3,611.81	3/4	3,914.67	3/4	4,216.45	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,315.21	11	3,618.12	11	3,920.98	11	4,222.69	11		11		11		11		11		11	
1/4	3,321.53	1/4	3,624.43	1/4	3,927.29	1/4	4,228.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,327.86	1/2	3,630.74	1/2	3,933.60	1/2	4,235.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,334.18	3/4	3,637.05	3/4	3,939.91	3/4	4,241.38	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/13/2020 JS  
CALCULATED: 04/14/2020 CL  
PRINTED: 04/15/2020 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2020

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



BARGE "MM 326"

4 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 10'-11"

Table with 21 columns representing gauge heights from 0 to 10 feet and 19 rows representing different levels (0 to 11) and fractions (1/4, 1/2, 3/4). Each cell contains a numerical value representing capacity in barrels.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL. CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK. CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES. GAUGE POINT: (MMC - TOP OF THREADS) LOCATED 5'-00" OFF CENTERLINE AND 47'-09" FORWARD OF AFT BULKHEAD. GAUGE POINT: (8" HATCH) LOCATED 5'-00" OFF CENTERLINE AND 51'-06" FORWARD OF AFT BULKHEAD.

STRAPPED: 04/13/2020 JS CALCULATED: 04/14/2020 CL PRINTED: 04/15/2020 SW

PRECISION MEASUREMENT & ANALYSIS, INC.

CANCELS AND SUPERCEDES ALL PRIOR TO 04/2020

P.O. Box 2092 Pearland, Texas 77588 http://www.pmacorp.net



