



BARGE: MM 148

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8
2 STBD	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

LENGTH BETWEEN DRAFT MARKS: 236'-00"

December 2, 2015

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS - 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"



BARGE: MM 148

JEFFBOAT 14-2899

3 STBD

INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	15.22	0	349.87	0	700.03	0	1,050.17	0	1,400.39	0	1,750.60	0	2,100.81	0	2,451.02	0	2,801.24	0	3,151.45	0	3,483.60	0	3,725.81	0	3,967.49	0	4,208.43	0	4,449.37	0	
1/4	19.78	1/4	357.17	1/4	707.33	1/4	1,057.47	1/4	1,407.68	1/4	1,757.90	1/4	2,108.11	1/4	2,458.32	1/4	2,808.53	1/4	3,158.74	1/4	3,488.64	1/4	3,730.85	1/4	3,972.51	1/4	4,213.45	1/4	4,454.39	1/4	
1/2	24.34	1/2	364.47	1/2	714.62	1/2	1,064.77	1/2	1,414.98	1/2	1,765.19	1/2	2,115.40	1/2	2,465.62	1/2	2,815.83	1/2	3,166.04	1/2	3,493.69	1/2	3,735.90	1/2	3,977.53	1/2	4,218.47	1/2	4,459.41	1/2	
3/4	28.90	3/4	371.76	3/4	721.92	3/4	1,072.06	3/4	1,422.27	3/4	1,772.49	3/4	2,122.70	3/4	2,472.91	3/4	2,823.13	3/4	3,173.33	3/4	3,498.73	3/4	3,740.95	3/4	3,982.55	3/4	4,223.49	3/4	4,464.43	3/4	
1	33.46	1	379.06	1	729.21	1	1,079.36	1	1,429.57	1	1,779.78	1	2,130.00	1	2,480.21	1	2,830.42	1	3,180.63	1	3,503.78	1	3,745.99	1	3,987.57	1	4,228.51	1	4,469.45	1	
1/4	39.83	1/4	386.35	1/4	736.50	1/4	1,086.65	1/4	1,436.87	1/4	1,787.08	1/4	2,137.29	1/4	2,487.51	1/4	2,837.72	1/4	3,187.92	1/4	3,508.83	1/4	3,751.04	1/4	3,992.59	1/4	4,233.53	1/4	4,474.47	1/4	
1/2	46.21	1/2	393.65	1/2	743.80	1/2	1,093.95	1/2	1,444.16	1/2	1,794.38	1/2	2,144.59	1/2	2,494.80	1/2	2,845.01	1/2	3,195.22	1/2	3,513.87	1/2	3,756.08	1/2	3,997.61	1/2	4,238.55	1/2	4,479.49	1/2	
3/4	52.59	3/4	400.95	3/4	751.09	3/4	1,101.25	3/4	1,451.46	3/4	1,801.67	3/4	2,151.88	3/4	2,502.10	3/4	2,852.31	3/4	3,202.51	3/4	3,518.92	3/4	3,761.13	3/4	4,002.63	3/4	4,243.57	3/4	4,484.51	3/4	
2	58.96	2	408.24	2	758.39	2	1,108.54	2	1,458.76	2	1,808.97	2	2,159.18	2	2,509.39	2	2,859.61	2	3,209.81	2	3,523.96	2	3,766.18	2	4,007.65	2	4,248.59	2	4,489.53	2	
1/4	66.16	1/4	415.54	1/4	765.68	1/4	1,115.84	1/4	1,466.05	1/4	1,816.26	1/4	2,166.48	1/4	2,516.69	1/4	2,866.90	1/4	3,217.10	1/4	3,529.01	1/4	3,771.22	1/4	4,012.67	1/4	4,253.61	1/4	4,494.54	1/4	
1/2	73.35	1/2	422.83	1/2	772.98	1/2	1,123.13	1/2	1,473.35	1/2	1,823.56	1/2	2,173.77	1/2	2,523.99	1/2	2,874.20	1/2	3,224.39	1/2	3,534.06	1/2	3,776.27	1/2	4,017.69	1/2	4,258.63	1/2	4,499.55	1/2	
3/4	80.54	3/4	430.13	3/4	780.27	3/4	1,130.43	3/4	1,480.64	3/4	1,830.86	3/4	2,181.07	3/4	2,531.28	3/4	2,881.49	3/4	3,231.69	3/4	3,539.10	3/4	3,781.32	3/4	4,022.71	3/4	4,263.65	3/4	4,504.57	3/4	
3	87.73	3	437.43	3	787.56	3	1,137.73	3	1,487.94	3	1,838.15	3	2,188.37	3	2,538.58	3	2,888.79	3	3,238.98	3	3,544.15	3	3,786.36	3	4,027.73	3	4,268.67	3	4,509.58	3	
1/4	94.96	1/4	444.72	1/4	794.86	1/4	1,145.02	1/4	1,495.24	1/4	1,845.45	1/4	2,195.66	1/4	2,545.87	1/4	2,896.09	1/4	3,246.28	1/4	3,549.19	1/4	3,791.41	1/4	4,032.75	1/4	4,273.69	1/4	4,514.59	1/4	
1/2	102.20	1/2	452.02	1/2	802.15	1/2	1,152.32	1/2	1,502.53	1/2	1,852.74	1/2	2,202.96	1/2	2,553.17	1/2	2,903.38	1/2	3,253.57	1/2	3,554.24	1/2	3,796.45	1/2	4,037.77	1/2	4,278.71	1/2	4,519.59	1/2	
3/4	109.43	3/4	459.31	3/4	809.45	3/4	1,159.62	3/4	1,509.83	3/4	1,860.04	3/4	2,210.25	3/4	2,560.47	3/4	2,910.68	3/4	3,260.87	3/4	3,559.29	3/4	3,801.50	3/4	4,042.78	3/4	4,283.73	3/4	4,524.59	3/4	
4	116.67	4	466.61	4	816.74	4	1,166.91	4	1,517.12	4	1,867.34	4	2,217.55	4	2,567.76	4	2,917.98	4	3,268.16	4	3,564.33	4	3,806.55	4	4,047.80	4	4,288.75	4	4,529.60	4	
1/4	123.93	1/4	473.90	1/4	824.04	1/4	1,174.21	1/4	1,524.42	1/4	1,874.63	1/4	2,224.85	1/4	2,575.06	1/4	2,925.27	1/4	3,275.46	1/4	3,569.38	1/4	3,811.59	1/4	4,052.82	1/4	4,293.76	1/4	4,534.59	1/4	
1/2	131.19	1/2	481.20	1/2	831.33	1/2	1,181.50	1/2	1,531.72	1/2	1,881.93	1/2	2,232.14	1/2	2,582.35	1/2	2,932.57	1/2	3,282.75	1/2	3,574.43	1/2	3,816.64	1/2	4,057.84	1/2	4,298.78	1/2	4,539.58	1/2	
3/4	138.45	3/4	488.49	3/4	838.62	3/4	1,188.80	3/4	1,539.01	3/4	1,889.23	3/4	2,239.44	3/4	2,589.65	3/4	2,939.86	3/4	3,290.04	3/4	3,579.47	3/4	3,821.68	3/4	4,062.86	3/4	4,303.80	3/4	4,544.57	3/4	
5	145.71	5	495.79	5	845.92	5	1,196.10	5	1,546.31	5	1,896.52	5	2,246.73	5	2,596.95	5	2,947.16	5	3,297.34	5	3,584.52	5	3,826.73	5	4,067.88	5	4,308.82	5	4,549.56	5	
1/4	152.98	1/4	503.08	1/4	853.21	1/4	1,203.39	1/4	1,553.60	1/4	1,903.82	1/4	2,254.03	1/4	2,604.24	1/4	2,954.46	1/4	3,304.63	1/4	3,589.56	1/4	3,831.78	1/4	4,072.90	1/4	4,313.84	1/4	4,554.53	1/4	
1/2	160.26	1/2	510.38	1/2	860.51	1/2	1,210.69	1/2	1,560.90	1/2	1,911.11	1/2	2,261.33	1/2	2,611.54	1/2	2,961.75	1/2	3,311.93	1/2	3,594.61	1/2	3,836.82	1/2	4,077.92	1/2	4,318.86	1/2	4,559.50	1/2	
3/4	167.54	3/4	517.67	3/4	867.80	3/4	1,217.98	3/4	1,568.20	3/4	1,918.41	3/4	2,268.62	3/4	2,618.84	3/4	2,969.05	3/4	3,319.22	3/4	3,599.66	3/4	3,841.87	3/4	4,082.94	3/4	4,323.88	3/4	4,564.47	3/4	
6	174.82	6	524.96	6	875.10	6	1,225.28	6	1,575.49	6	1,925.71	6	2,275.92	6	2,626.13	6	2,976.34	6	3,326.52	6	3,604.70	6	3,846.91	6	4,087.96	6	4,328.90	6	4,569.43	6	
1/4	182.10	1/4	532.26	1/4	882.39	1/4	1,232.58	1/4	1,582.79	1/4	1,933.00	1/4	2,283.21	1/4	2,633.43	1/4	2,983.64	1/4	3,333.81	1/4	3,609.75	1/4	3,851.96	1/4	4,092.98	1/4	4,333.92	1/4	4,574.36	1/4	
1/2	189.39	1/2	539.55	1/2	889.68	1/2	1,239.87	1/2	1,590.09	1/2	1,940.30	1/2	2,290.51	1/2	2,640.72	1/2	2,990.94	1/2	3,341.10	1/2	3,614.79	1/2	3,857.01	1/2	4,098.00	1/2	4,338.94	1/2	4,579.30	1/2	
3/4	196.68	3/4	546.85	3/4	896.98	3/4	1,247.17	3/4	1,597.38	3/4	1,947.59	3/4	2,297.81	3/4	2,648.02	3/4	2,998.23	3/4	3,348.40	3/4	3,619.84	3/4	3,862.05	3/4	4,103.02	3/4	4,343.96	3/4	4,584.23	3/4	
7	203.97	7	554.14	7	904.27	7	1,254.46	7	1,604.68	7	1,954.89	7	2,305.10	7	2,655.32	7	3,005.53	7	3,355.69	7	3,624.89	7	3,867.10	7	4,108.04	7	4,348.98	7	4,589.16	7	
1/4	211.26	1/4	561.44	1/4	911.57	1/4	1,261.76	1/4	1,611.97	1/4	1,962.19	1/4	2,312.40	1/4	2,662.61	1/4	3,012.82	1/4	3,362.99	1/4	3,629.93	1/4	3,872.12	1/4	4,113.06	1/4	4,354.00	1/4		1/4	
1/2	218.56	1/2	568.73	1/2	918.86	1/2	1,269.06	1/2	1,619.27	1/2	1,969.48	1/2	2,319.70	1/2	2,669.91	1/2	3,020.12	1/2	3,370.28	1/2	3,634.98	1/2	3,877.14	1/2	4,118.08	1/2	4,359.02	1/2		1/2	
3/4	225.85	3/4	576.03	3/4	926.16	3/4	1,276.35	3/4	1,626.57	3/4	1,976.78	3/4	2,326.99	3/4	2,677.20	3/4	3,027.42	3/4	3,377.58	3/4	3,640.02	3/4	3,882.16	3/4	4,123.10	3/4	4,364.04	3/4		3/4	
8	233.14	8	583.32	8	933.45	8	1,283.65	8	1,633.86	8	1,984.07	8	2,334.29	8	2,684.50	8	3,034.71	8	3,384.87	8	3,645.07	8	3,887.18	8	4,128.12	8	4,369.06	8		8	
1/4	240.44	1/4	590.62	1/4	940.74	1/4	1,290.95	1/4	1,641.16	1/4	1,991.37	1/4	2,341.58	1/4	2,691.80	1/4	3,042.01	1/4	3,392.17	1/4	3,650.12	1/4	3,892.20	1/4	4,133.14	1/4	4,374.08	1/4		1/4	
1/2	247.73	1/2	597.91	1/2	948.04	1/2	1,298.24	1/2	1,648.45	1/2	1,998.67	1/2	2,348.88	1/2	2,699.09	1/2	3,049.31	1/2	3,399.46	1/2	3,655.16	1/2	3,897.22	1/2	4,138.16	1/2	4,379.10	1/2		1/2	
3/4	255.03	3/4	605.20	3/4	955.33	3/4	1,305.54	3/4	1,655.75	3/4	2,005.96	3/4	2,356.18	3/4	2,706.39	3/4	3,056.60	3/4	3,406.75	3/4	3,660.21	3/4	3,902.24	3/4	4,143.18	3/4	4,384.12	3/4		3/4	
9	262.32	9	612.50	9	962.63	9	1,312.83	9	1,663.05	9	2,013.26	9	2,363.47	9	2,713.68	9	3,063.90	9	3,414.05	9	3,665.25	9	3,907.26	9	4,148.20	9	4,389.14	9		9	
1/4	269.62	1/4	619.79	1/4	969.92	1/4	1,320.13	1/4	1,670.34	1/4	2,020.56	1/4	2,370.77	1/4	2,720.98																



BARGE: MM 148
JEFFBOAT 14-2899

3 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	15.21	0	349.80	0	699.88	0	1,049.16	0	1,398.71	0	1,748.68	0	2,098.52	0	2,448.68	0	2,798.83	0	3,148.99	0	3,481.06	0	3,723.21	0	3,964.83	0	4,205.71	0	4,446.59	0	
1/4	19.77	1/4	357.10	1/4	707.16	1/4	1,056.45	1/4	1,405.99	1/4	1,755.77	1/4	2,105.82	1/4	2,455.97	1/4	2,806.13	1/4	3,156.28	1/4	3,486.10	1/4	3,728.25	1/4	3,969.85	1/4	4,210.73	1/4	4,451.61	1/4	
1/2	24.33	1/2	364.39	1/2	714.44	1/2	1,063.75	1/2	1,413.27	1/2	1,763.05	1/2	2,113.11	1/2	2,463.27	1/2	2,813.42	1/2	3,163.57	1/2	3,491.15	1/2	3,733.30	1/2	3,974.87	1/2	4,215.75	1/2	4,456.63	1/2	
3/4	28.89	3/4	371.68	3/4	721.71	3/4	1,071.04	3/4	1,420.55	3/4	1,770.34	3/4	2,120.41	3/4	2,470.56	3/4	2,820.72	3/4	3,170.87	3/4	3,496.19	3/4	3,738.34	3/4	3,979.88	3/4	4,220.77	3/4	4,461.65	3/4	
1	33.44	1	378.98	1	728.99	1	1,078.33	1	1,427.83	1	1,777.63	1	2,127.70	1	2,477.86	1	2,828.01	1	3,178.16	1	3,501.23	1	3,743.39	1	3,984.90	1	4,225.79	1	4,466.67	1	
1/4	39.82	1/4	386.27	1/4	736.27	1/4	1,085.63	1/4	1,435.11	1/4	1,784.92	1/4	2,135.00	1/4	2,485.15	1/4	2,835.31	1/4	3,185.45	1/4	3,506.28	1/4	3,748.43	1/4	3,989.92	1/4	4,230.80	1/4	4,471.69	1/4	
1/2	46.20	1/2	393.57	1/2	743.54	1/2	1,092.92	1/2	1,442.39	1/2	1,792.21	1/2	2,142.29	1/2	2,492.45	1/2	2,842.60	1/2	3,192.75	1/2	3,511.32	1/2	3,753.47	1/2	3,994.94	1/2	4,235.82	1/2	4,476.70	1/2	
3/4	52.57	3/4	400.86	3/4	750.82	3/4	1,100.22	3/4	1,449.67	3/4	1,799.49	3/4	2,149.59	3/4	2,499.74	3/4	2,849.90	3/4	3,200.04	3/4	3,516.37	3/4	3,758.52	3/4	3,999.96	3/4	4,240.84	3/4	4,481.72	3/4	
2	58.95	2	408.16	2	758.10	2	1,107.51	2	1,456.95	2	1,806.78	2	2,156.88	2	2,507.04	2	2,857.19	2	3,207.33	2	3,521.41	2	3,763.56	2	4,004.98	2	4,245.86	2	4,486.74	2	
1/4	66.14	1/4	415.45	1/4	765.37	1/4	1,114.79	1/4	1,464.25	1/4	1,814.07	1/4	2,164.18	1/4	2,514.33	1/4	2,864.49	1/4	3,214.62	1/4	3,526.46	1/4	3,768.61	1/4	4,009.99	1/4	4,250.88	1/4	4,491.75	1/4	
1/2	73.33	1/2	422.75	1/2	772.65	1/2	1,122.07	1/2	1,471.54	1/2	1,821.36	1/2	2,171.47	1/2	2,521.63	1/2	2,871.78	1/2	3,221.92	1/2	3,531.50	1/2	3,773.65	1/2	4,015.01	1/2	4,255.90	1/2	4,496.76	1/2	
3/4	80.52	3/4	430.04	3/4	779.93	3/4	1,129.35	3/4	1,478.84	3/4	1,828.64	3/4	2,178.77	3/4	2,528.92	3/4	2,879.08	3/4	3,229.21	3/4	3,536.55	3/4	3,778.70	3/4	4,020.03	3/4	4,260.91	3/4	4,501.78	3/4	
3	87.71	3	437.33	3	787.20	3	1,136.63	3	1,486.13	3	1,835.93	3	2,186.06	3	2,536.22	3	2,886.37	3	3,236.50	3	3,541.59	3	3,783.74	3	4,025.05	3	4,265.93	3	4,506.79	3	
1/4	94.94	1/4	444.63	1/4	794.48	1/4	1,143.91	1/4	1,493.42	1/4	1,843.22	1/4	2,193.36	1/4	2,543.51	1/4	2,893.67	1/4	3,243.79	1/4	3,546.64	1/4	3,788.79	1/4	4,030.07	1/4	4,270.95	1/4	4,511.79	1/4	
1/2	102.17	1/2	451.92	1/2	801.76	1/2	1,151.19	1/2	1,500.72	1/2	1,850.51	1/2	2,200.65	1/2	2,550.81	1/2	2,900.96	1/2	3,251.09	1/2	3,551.68	1/2	3,793.83	1/2	4,035.09	1/2	4,275.97	1/2	4,516.79	1/2	
3/4	109.41	3/4	459.22	3/4	809.03	3/4	1,158.47	3/4	1,508.01	3/4	1,857.79	3/4	2,207.95	3/4	2,558.10	3/4	2,908.26	3/4	3,258.38	3/4	3,556.73	3/4	3,798.88	3/4	4,040.10	3/4	4,280.99	3/4	4,521.80	3/4	
4	116.64	4	466.51	4	816.31	4	1,165.75	4	1,515.30	4	1,865.08	4	2,215.24	4	2,565.40	4	2,915.55	4	3,265.67	4	3,561.77	4	3,803.92	4	4,045.12	4	4,286.01	4	4,526.80	4	
1/4	123.90	1/4	473.81	1/4	823.58	1/4	1,173.03	1/4	1,522.59	1/4	1,872.38	1/4	2,222.54	1/4	2,572.69	1/4	2,922.85	1/4	3,272.97	1/4	3,566.82	1/4	3,808.97	1/4	4,050.14	1/4	4,291.02	1/4	4,531.79	1/4	
1/2	131.16	1/2	481.10	1/2	830.86	1/2	1,180.31	1/2	1,529.88	1/2	1,879.67	1/2	2,229.83	1/2	2,579.99	1/2	2,930.14	1/2	3,280.26	1/2	3,571.86	1/2	3,814.01	1/2	4,055.16	1/2	4,296.04	1/2	4,536.78	1/2	
3/4	138.42	3/4	488.39	3/4	838.14	3/4	1,187.59	3/4	1,537.17	3/4	1,886.97	3/4	2,237.13	3/4	2,587.28	3/4	2,937.44	3/4	3,287.55	3/4	3,576.91	3/4	3,819.06	3/4	4,060.18	3/4	4,301.06	3/4	4,541.77	3/4	
5	145.67	5	495.68	5	845.41	5	1,194.87	5	1,544.45	5	1,894.26	5	2,244.42	5	2,594.58	5	2,944.73	5	3,294.84	5	3,581.95	5	3,824.10	5	4,065.20	5	4,306.08	5	4,546.76	5	
1/4	152.95	1/4	502.98	1/4	852.69	1/4	1,202.15	1/4	1,551.74	1/4	1,901.56	1/4	2,251.72	1/4	2,601.87	1/4	2,952.03	1/4	3,302.14	1/4	3,587.00	1/4	3,829.15	1/4	4,070.21	1/4	4,311.10	1/4	4,551.72	1/4	
1/2	160.23	1/2	510.27	1/2	859.97	1/2	1,209.43	1/2	1,559.03	1/2	1,908.85	1/2	2,259.01	1/2	2,609.17	1/2	2,959.32	1/2	3,309.43	1/2	3,592.04	1/2	3,834.19	1/2	4,075.23	1/2	4,316.12	1/2	4,556.69	1/2	
3/4	167.50	3/4	517.56	3/4	867.24	3/4	1,216.71	3/4	1,566.32	3/4	1,916.15	3/4	2,266.31	3/4	2,616.46	3/4	2,966.62	3/4	3,316.72	3/4	3,597.09	3/4	3,839.24	3/4	4,080.25	3/4	4,321.13	3/4	4,561.66	3/4	
6	174.78	6	524.86	6	874.52	6	1,223.99	6	1,573.60	6	1,923.44	6	2,273.60	6	2,623.76	6	2,973.91	6	3,324.01	6	3,602.13	6	3,844.28	6	4,085.27	6	4,326.15	6	4,566.62	6	
1/4	182.06	1/4	532.15	1/4	881.80	1/4	1,231.27	1/4	1,580.89	1/4	1,930.74	1/4	2,280.90	1/4	2,631.05	1/4	2,981.21	1/4	3,331.31	1/4	3,607.18	1/4	3,849.33	1/4	4,090.29	1/4	4,331.17	1/4	4,571.55	1/4	
1/2	189.35	1/2	539.44	1/2	889.07	1/2	1,238.55	1/2	1,588.18	1/2	1,938.03	1/2	2,288.19	1/2	2,638.35	1/2	2,988.50	1/2	3,338.60	1/2	3,612.22	1/2	3,854.37	1/2	4,095.31	1/2	4,336.19	1/2	4,576.48	1/2	
3/4	196.64	3/4	546.73	3/4	896.35	3/4	1,245.83	3/4	1,595.46	3/4	1,945.33	3/4	2,295.49	3/4	2,645.64	3/4	2,995.80	3/4	3,345.89	3/4	3,617.27	3/4	3,859.42	3/4	4,100.33	3/4	4,341.21	3/4	4,581.41	3/4	
7	203.92	7	554.03	7	903.62	7	1,253.11	7	1,602.75	7	1,952.62	7	2,302.78	7	2,652.94	7	3,003.09	7	3,353.18	7	3,622.31	7	3,864.46	7	4,105.34	7	4,346.23	7	4,586.34	7	
1/4	211.21	1/4	561.32	1/4	910.90	1/4	1,260.39	1/4	1,610.03	1/4	1,959.92	1/4	2,310.08	1/4	2,660.23	1/4	3,010.39	1/4	3,360.48	1/4	3,627.35	1/4	3,869.48	1/4	4,110.36	1/4	4,351.25	1/4			
1/2	218.51	1/2	568.61	1/2	918.17	1/2	1,267.67	1/2	1,617.32	1/2	1,967.21	1/2	2,317.37	1/2	2,667.53	1/2	3,017.68	1/2	3,367.77	1/2	3,632.40	1/2	3,874.50	1/2	4,115.38	1/2	4,356.26	1/2			
3/4	225.80	3/4	575.91	3/4	925.45	3/4	1,274.95	3/4	1,624.60	3/4	1,974.51	3/4	2,324.67	3/4	2,674.82	3/4	3,024.98	3/4	3,375.06	3/4	3,637.44	3/4	3,879.52	3/4	4,120.40	3/4	4,361.28	3/4			
8	233.09	8	583.20	8	932.73	8	1,282.23	8	1,631.89	8	1,981.80	8	2,331.96	8	2,682.12	8	3,032.27	8	3,382.36	8	3,642.49	8	3,884.53	8	4,125.42	8	4,366.30	8			
1/4	240.39	1/4	590.49	1/4	940.00	1/4	1,289.51	1/4	1,639.18	1/4	1,989.10	1/4	2,339.26	1/4	2,689.41	1/4	3,039.57	1/4	3,389.65	1/4	3,647.53	1/4	3,889.55	1/4	4,130.44	1/4	4,371.32	1/4			
1/2	247.68	1/2	597.78	1/2	947.28	1/2	1,296.79	1/2	1,646.47	1/2	1,996.39	1/2	2,346.55	1/2	2,696.71	1/2	3,046.86	1/2	3,396.94	1/2	3,652.58	1/2	3,894.57	1/2	4,135.45	1/2	4,376.34	1/2			
3/4	254.97	3/4	605.08	3/4	954.55	3/4	1,304.07	3/4	1,653.75	3/4	2,003.69	3/4	2,353.85	3/4	2,704.00	3/4	3,054.16	3/4	3,404.23	3/4	3,657.62	3/4	3,899.59	3/4	4,140.47	3/4	4,381.36	3/4			
9	262.27	9	612.37	9	961.83	9	1,311.35	9	1,661.04	9	2,010.98	9	2,361.14	9	2,711.30	9	3,061.45	9	3,411.53	9	3,662.67	9	3,904.61	9	4,145.49	9	4,386.37	9			
1/4	269.56	1/4	619.66	1/4	969.11	1/4	1,318.63	1/4	1,668.33	1/4	2,018.28	1/4	2,368.44	1/4	2,718.59	1/4	3,068.75														



BARGE: MM 148
JEFFBOAT 14-2899

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 1/2"

Table with 28 columns (IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT.) and multiple rows of capacity data.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 11/27/2015 BY: JMF
DATE COMPUTED: 12/02/2015 BY: CL
DATE ISSUED: 12/02/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

Signature



BARGE: MM 148
JEFFBOAT 14-2899

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	15.24	0	350.51	0	701.35	0	1,051.49	0	1,401.63	0	1,752.23	0	2,103.10	0	2,453.97	0	2,804.85	0	3,155.72	0	3,506.50	0	3,857.28	0	4,207.53	0	4,557.03	0	4,906.53	0	
1/4	19.81	1/4	357.82	1/4	708.66	1/4	1,058.78	1/4	1,408.93	1/4	1,759.54	1/4	2,110.41	1/4	2,461.28	1/4	2,812.16	1/4	3,163.03	1/4	3,513.81	1/4	3,864.59	1/4	4,214.81	1/4	4,564.31	1/4	4,913.82	1/4	
1/2	24.38	1/2	365.13	1/2	715.97	1/2	1,066.07	1/2	1,416.22	1/2	1,766.84	1/2	2,117.72	1/2	2,468.59	1/2	2,819.47	1/2	3,170.34	1/2	3,521.12	1/2	3,871.90	1/2	4,222.09	1/2	4,571.60	1/2	4,921.10	1/2	
3/4	28.95	3/4	372.44	3/4	723.28	3/4	1,073.37	3/4	1,423.52	3/4	1,774.15	3/4	2,125.03	3/4	2,475.90	3/4	2,826.78	3/4	3,177.65	3/4	3,528.43	3/4	3,879.21	3/4	4,229.37	3/4	4,578.88	3/4	4,928.38	3/4	
1	33.51	1	379.75	1	730.59	1	1,080.66	1	1,430.81	1	1,781.46	1	2,132.34	1	2,483.21	1	2,834.09	1	3,184.96	1	3,535.74	1	3,886.51	1	4,236.66	1	4,586.16	1	4,935.66	1	
1/4	39.90	1/4	387.06	1/4	737.90	1/4	1,087.95	1/4	1,438.11	1/4	1,788.77	1/4	2,139.65	1/4	2,490.52	1/4	2,841.40	1/4	3,192.26	1/4	3,543.04	1/4	3,893.82	1/4	4,243.94	1/4	4,593.44	1/4	4,942.94	1/4	
1/2	46.29	1/2	394.37	1/2	745.21	1/2	1,095.25	1/2	1,445.40	1/2	1,796.08	1/2	2,146.96	1/2	2,497.83	1/2	2,848.71	1/2	3,199.57	1/2	3,550.35	1/2	3,901.13	1/2	4,251.22	1/2	4,600.72	1/2	4,950.22	1/2	
3/4	52.68	3/4	401.68	3/4	752.52	3/4	1,102.54	3/4	1,452.70	3/4	1,803.39	3/4	2,154.27	3/4	2,505.14	3/4	2,856.02	3/4	3,206.88	3/4	3,557.66	3/4	3,908.44	3/4	4,258.50	3/4	4,608.00	3/4	4,957.51	3/4	
2	59.07	2	408.99	2	759.83	2	1,109.83	2	1,459.99	2	1,810.70	2	2,161.58	2	2,512.45	2	2,863.33	2	3,214.19	2	3,564.97	2	3,915.75	2	4,265.78	2	4,615.28	2	4,964.79	2	
1/4	66.27	1/4	416.30	1/4	767.12	1/4	1,117.13	1/4	1,467.29	1/4	1,818.01	1/4	2,168.89	1/4	2,519.76	1/4	2,870.64	1/4	3,221.50	1/4	3,572.27	1/4	3,923.05	1/4	4,273.06	1/4	4,622.56	1/4	4,972.06	1/4	
1/2	73.48	1/2	423.61	1/2	774.42	1/2	1,124.42	1/2	1,474.58	1/2	1,825.32	1/2	2,176.20	1/2	2,527.07	1/2	2,877.95	1/2	3,228.80	1/2	3,579.58	1/2	3,930.36	1/2	4,280.34	1/2	4,629.85	1/2	4,979.34	1/2	
3/4	80.68	3/4	430.91	3/4	781.71	3/4	1,131.72	3/4	1,481.88	3/4	1,832.63	3/4	2,183.51	3/4	2,534.38	3/4	2,885.26	3/4	3,236.11	3/4	3,586.89	3/4	3,937.67	3/4	4,287.62	3/4	4,637.13	3/4	4,986.61	3/4	
3	87.88	3	438.22	3	789.01	3	1,139.01	3	1,489.17	3	1,839.94	3	2,190.82	3	2,541.69	3	2,892.57	3	3,243.42	3	3,594.20	3	3,944.98	3	4,294.91	3	4,644.41	3	4,993.89	3	
1/4	95.13	1/4	445.53	1/4	796.30	1/4	1,146.31	1/4	1,496.47	1/4	1,847.25	1/4	2,198.13	1/4	2,549.00	1/4	2,899.88	1/4	3,250.73	1/4	3,601.51	1/4	3,952.29	1/4	4,302.19	1/4	4,651.69	1/4	5,001.16	1/4	
1/2	102.38	1/2	452.84	1/2	803.59	1/2	1,153.60	1/2	1,503.76	1/2	1,854.56	1/2	2,205.44	1/2	2,556.31	1/2	2,907.19	1/2	3,258.04	1/2	3,608.81	1/2	3,959.59	1/2	4,309.47	1/2	4,658.97	1/2	5,008.42	1/2	
3/4	109.63	3/4	460.15	3/4	810.89	3/4	1,160.90	3/4	1,511.06	3/4	1,861.87	3/4	2,212.75	3/4	2,563.62	3/4	2,914.50	3/4	3,265.34	3/4	3,616.12	3/4	3,966.90	3/4	4,316.75	3/4	4,666.25	3/4	5,015.69	3/4	
4	116.88	4	467.46	4	818.18	4	1,168.19	4	1,518.35	4	1,869.18	4	2,220.06	4	2,570.93	4	2,921.81	4	3,272.65	4	3,623.43	4	3,974.21	4	4,324.03	4	4,673.53	4	5,022.95	4	
1/4	124.15	1/4	474.77	1/4	825.47	1/4	1,175.49	1/4	1,525.66	1/4	1,876.49	1/4	2,227.37	1/4	2,578.24	1/4	2,929.12	1/4	3,279.96	1/4	3,630.74	1/4	3,981.52	1/4	4,331.31	1/4	4,680.81	1/4	5,030.21	1/4	
1/2	131.42	1/2	482.08	1/2	832.76	1/2	1,182.78	1/2	1,532.97	1/2	1,883.80	1/2	2,234.68	1/2	2,585.55	1/2	2,936.43	1/2	3,287.27	1/2	3,638.05	1/2	3,988.83	1/2	4,338.59	1/2	4,688.10	1/2	5,037.46	1/2	
3/4	138.70	3/4	489.39	3/4	840.05	3/4	1,190.08	3/4	1,540.28	3/4	1,891.11	3/4	2,241.99	3/4	2,592.86	3/4	2,943.74	3/4	3,294.57	3/4	3,645.35	3/4	3,996.13	3/4	4,345.87	3/4	4,695.38	3/4	5,044.71	3/4	
5	145.97	5	496.70	5	847.34	5	1,197.37	5	1,547.59	5	1,898.42	5	2,249.30	5	2,600.17	5	2,951.05	5	3,301.88	5	3,652.66	5	4,003.44	5	4,353.16	5	4,702.66	5	5,051.96	5	
1/4	153.26	1/4	504.01	1/4	854.63	1/4	1,204.67	1/4	1,554.90	1/4	1,905.73	1/4	2,256.61	1/4	2,607.48	1/4	2,958.36	1/4	3,309.19	1/4	3,659.97	1/4	4,010.75	1/4	4,360.44	1/4	4,709.94	1/4	5,059.19	1/4	
1/2	160.55	1/2	511.32	1/2	861.92	1/2	1,211.96	1/2	1,562.21	1/2	1,913.04	1/2	2,263.92	1/2	2,614.79	1/2	2,965.67	1/2	3,316.50	1/2	3,667.28	1/2	4,018.06	1/2	4,367.72	1/2	4,717.22	1/2	5,066.42	1/2	
3/4	167.84	3/4	518.62	3/4	869.21	3/4	1,219.26	3/4	1,569.52	3/4	1,920.35	3/4	2,271.23	3/4	2,622.10	3/4	2,972.98	3/4	3,323.81	3/4	3,674.59	3/4	4,025.36	3/4	4,375.00	3/4	4,724.50	3/4	5,073.65	3/4	
6	175.13	6	525.93	6	876.50	6	1,226.55	6	1,576.83	6	1,927.66	6	2,278.54	6	2,629.41	6	2,980.29	6	3,331.11	6	3,681.89	6	4,032.67	6	4,382.28	6	4,731.78	6	5,080.88	6	
1/4	182.43	1/4	533.24	1/4	883.79	1/4	1,233.85	1/4	1,584.14	1/4	1,934.97	1/4	2,285.85	1/4	2,636.72	1/4	2,987.60	1/4	3,338.42	1/4	3,689.20	1/4	4,039.98	1/4	4,389.56	1/4	4,739.06	1/4	5,088.07	1/4	
1/2	189.73	1/2	540.55	1/2	891.07	1/2	1,241.14	1/2	1,591.45	1/2	1,942.28	1/2	2,293.16	1/2	2,644.03	1/2	2,994.91	1/2	3,345.73	1/2	3,696.51	1/2	4,047.29	1/2	4,396.84	1/2	4,746.35	1/2	5,095.27	1/2	
3/4	197.04	3/4	547.86	3/4	898.36	3/4	1,248.44	3/4	1,598.76	3/4	1,949.59	3/4	2,300.47	3/4	2,651.34	3/4	3,002.22	3/4	3,353.04	3/4	3,703.82	3/4	4,054.60	3/4	4,404.13	3/4	4,753.63	3/4	5,102.46	3/4	
7	204.34	7	555.17	7	905.65	7	1,255.73	7	1,606.07	7	1,956.90	7	2,307.78	7	2,658.65	7	3,009.53	7	3,360.35	7	3,711.12	7	4,061.90	7	4,411.41	7	4,760.91	7	5,109.65	7	
1/4	211.64	1/4	562.48	1/4	912.94	1/4	1,263.03	1/4	1,613.38	1/4	1,964.21	1/4	2,315.09	1/4	2,665.96	1/4	3,016.84	1/4	3,367.65	1/4	3,718.43	1/4	4,069.19	1/4	4,418.69	1/4	4,768.19	1/4		1/4	
1/2	218.95	1/2	569.79	1/2	920.24	1/2	1,270.32	1/2	1,620.69	1/2	1,971.52	1/2	2,322.40	1/2	2,673.27	1/2	3,024.15	1/2	3,374.96	1/2	3,725.74	1/2	4,076.47	1/2	4,425.97	1/2	4,775.47	1/2		1/2	
3/4	226.26	3/4	577.10	3/4	927.53	3/4	1,277.62	3/4	1,628.00	3/4	1,978.83	3/4	2,329.71	3/4	2,680.58	3/4	3,031.46	3/4	3,382.27	3/4	3,733.05	3/4	4,083.75	3/4	4,433.25	3/4	4,782.75	3/4		3/4	
8	233.57	8	584.41	8	934.82	8	1,284.91	8	1,635.31	8	1,986.14	8	2,337.02	8	2,687.89	8	3,038.77	8	3,389.58	8	3,740.36	8	4,091.03	8	4,440.53	8	4,790.03	8		8	
1/4	240.88	1/4	591.72	1/4	942.11	1/4	1,292.21	1/4	1,642.62	1/4	1,993.45	1/4	2,344.33	1/4	2,695.20	1/4	3,046.08	1/4	3,396.89	1/4	3,747.66	1/4	4,098.31	1/4	4,447.81	1/4	4,797.32	1/4		1/4	
1/2	248.18	1/2	599.03	1/2	949.40	1/2	1,299.50	1/2	1,649.93	1/2	2,000.76	1/2	2,351.64	1/2	2,702.51	1/2	3,053.39	1/2	3,404.19	1/2	3,754.97	1/2	4,105.59	1/2	4,455.09	1/2	4,804.60	1/2		1/2	
3/4	255.49	3/4	606.34	3/4	956.69	3/4	1,306.80	3/4	1,657.24	3/4	2,008.07	3/4	2,358.95	3/4	2,709.82	3/4	3,060.70	3/4	3,411.50	3/4	3,762.28	3/4	4,112.87	3/4	4,462.38	3/4	4,811.88	3/4		3/4	
9	262.80	9	613.64	9	963.99	9	1,314.09	9	1,664.55	9	2,015.38	9	2,366.26	9	2,717.13	9	3,068.01	9	3,418.81	9	3,769.59	9	4,120.15	9	4,469.66	9	4,819.16	9		9	
1/4	270.11	1/4	620.95	1/4	971.28	1/4	1,321.39	1/4	1,671.85	1/4	2,022.69	1/4																			



BARGE: MM 148
JEFFBOAT 14-2899

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	14.35	0	278.42	0	598.90	0	928.32	0	1,257.70	0	1,587.08	0	1,916.52	0	2,245.96	0	2,575.41	0	2,904.85	0	3,234.19	0	3,563.54	0	3,892.35	0	4,220.42	0	4,548.49	0	
1/4	17.14	1/4	284.75	1/4	605.76	1/4	935.19	1/4	1,264.56	1/4	1,593.94	1/4	1,923.38	1/4	2,252.83	1/4	2,582.27	1/4	2,911.71	1/4	3,241.05	1/4	3,570.40	1/4	3,899.18	1/4	4,227.25	1/4	4,555.32	1/4	
1/2	19.93	1/2	291.08	1/2	612.63	1/2	942.05	1/2	1,271.42	1/2	1,600.81	1/2	1,930.25	1/2	2,259.69	1/2	2,589.13	1/2	2,918.57	1/2	3,247.92	1/2	3,577.26	1/2	3,906.02	1/2	4,234.09	1/2	4,562.16	1/2	
3/4	22.72	3/4	297.41	3/4	619.49	3/4	948.91	3/4	1,278.28	3/4	1,607.67	3/4	1,937.11	3/4	2,266.55	3/4	2,596.00	3/4	2,925.44	3/4	3,254.78	3/4	3,584.12	3/4	3,912.85	3/4	4,240.92	3/4	4,568.99	3/4	
1	25.51	1	303.74	1	626.35	1	955.78	1	1,285.14	1	1,614.53	1	1,943.98	1	2,273.42	1	2,602.86	1	2,932.30	1	3,261.64	1	3,590.98	1	3,919.69	1	4,247.76	1	4,575.83	1	
1/4	30.09	1/4	310.15	1/4	633.21	1/4	962.64	1/4	1,292.00	1/4	1,621.40	1/4	1,950.84	1/4	2,280.28	1/4	2,609.72	1/4	2,939.16	1/4	3,268.50	1/4	3,597.84	1/4	3,926.52	1/4	4,254.59	1/4	4,582.66	1/4	
1/2	34.67	1/2	316.56	1/2	640.08	1/2	969.50	1/2	1,298.86	1/2	1,628.26	1/2	1,957.70	1/2	2,287.15	1/2	2,616.59	1/2	2,946.02	1/2	3,275.36	1/2	3,604.70	1/2	3,933.36	1/2	4,261.43	1/2	4,589.49	1/2	
3/4	39.25	3/4	322.97	3/4	646.94	3/4	976.36	3/4	1,305.72	3/4	1,635.12	3/4	1,964.57	3/4	2,294.01	3/4	2,623.45	3/4	2,952.88	3/4	3,282.22	3/4	3,611.57	3/4	3,940.19	3/4	4,268.26	3/4	4,596.32	3/4	
2	43.82	2	329.38	2	653.80	2	983.23	2	1,312.58	2	1,641.99	2	1,971.43	2	2,300.87	2	2,630.32	2	2,959.74	2	3,289.08	2	3,618.43	2	3,947.03	2	4,275.10	2	4,603.16	2	
1/4	49.25	1/4	335.87	1/4	660.67	1/4	990.09	1/4	1,319.44	1/4	1,648.85	1/4	1,978.29	1/4	2,307.74	1/4	2,637.18	1/4	2,966.60	1/4	3,295.95	1/4	3,625.29	1/4	3,953.86	1/4	4,281.93	1/4	4,609.99	1/4	
1/2	54.68	1/2	342.36	1/2	667.53	1/2	996.95	1/2	1,326.31	1/2	1,655.71	1/2	1,985.16	1/2	2,314.60	1/2	2,644.04	1/2	2,973.46	1/2	3,302.81	1/2	3,632.15	1/2	3,960.70	1/2	4,288.77	1/2	4,616.81	1/2	
3/4	60.10	3/4	348.85	3/4	674.39	3/4	1,003.82	3/4	1,333.17	3/4	1,662.58	3/4	1,992.02	3/4	2,321.46	3/4	2,650.91	3/4	2,980.33	3/4	3,309.67	3/4	3,639.01	3/4	3,967.53	3/4	4,295.60	3/4	4,623.64	3/4	
3	65.53	3	355.34	3	681.26	3	1,010.68	3	1,340.03	3	1,669.44	3	1,998.88	3	2,328.33	3	2,657.77	3	2,987.19	3	3,316.53	3	3,645.87	3	3,974.37	3	4,302.44	3	4,630.47	3	
1/4	71.07	1/4	361.91	1/4	688.12	1/4	1,017.54	1/4	1,346.89	1/4	1,676.30	1/4	2,005.75	1/4	2,335.19	1/4	2,664.63	1/4	2,994.05	1/4	3,323.39	1/4	3,652.73	1/4	3,981.20	1/4	4,309.27	1/4	4,637.29	1/4	
1/2	76.62	1/2	368.48	1/2	694.98	1/2	1,024.41	1/2	1,353.75	1/2	1,683.17	1/2	2,012.61	1/2	2,342.05	1/2	2,671.50	1/2	3,000.91	1/2	3,330.25	1/2	3,659.59	1/2	3,988.04	1/2	4,316.11	1/2	4,644.11	1/2	
3/4	82.17	3/4	375.05	3/4	701.84	3/4	1,031.27	3/4	1,360.61	3/4	1,690.03	3/4	2,019.47	3/4	2,348.92	3/4	2,678.36	3/4	3,007.77	3/4	3,337.11	3/4	3,666.46	3/4	3,994.87	3/4	4,322.94	3/4	4,650.93	3/4	
4	87.71	4	381.62	4	708.71	4	1,038.13	4	1,367.47	4	1,696.89	4	2,026.34	4	2,355.78	4	2,685.22	4	3,014.63	4	3,343.97	4	3,673.32	4	4,001.71	4	4,329.78	4	4,657.75	4	
1/4	93.37	1/4	388.27	1/4	715.57	1/4	1,044.99	1/4	1,374.33	1/4	1,703.76	1/4	2,033.20	1/4	2,362.64	1/4	2,692.09	1/4	3,021.49	1/4	3,350.84	1/4	3,680.18	1/4	4,008.54	1/4	4,336.61	1/4	4,664.56	1/4	
1/2	99.02	1/2	394.92	1/2	722.43	1/2	1,051.86	1/2	1,381.19	1/2	1,710.62	1/2	2,040.06	1/2	2,369.51	1/2	2,698.95	1/2	3,028.35	1/2	3,357.70	1/2	3,687.04	1/2	4,015.37	1/2	4,343.45	1/2	4,671.37	1/2	
3/4	104.67	3/4	401.58	3/4	729.30	3/4	1,058.72	3/4	1,388.06	3/4	1,717.48	3/4	2,046.93	3/4	2,376.37	3/4	2,705.81	3/4	3,035.22	3/4	3,364.56	3/4	3,693.90	3/4	4,022.21	3/4	4,350.28	3/4	4,678.18	3/4	
5	110.32	5	408.23	5	736.16	5	1,065.58	5	1,394.92	5	1,724.35	5	2,053.79	5	2,383.23	5	2,712.68	5	3,042.08	5	3,371.42	5	3,700.76	5	4,029.04	5	4,357.11	5	4,684.99	5	
1/4	116.07	1/4	414.96	1/4	743.02	1/4	1,072.45	1/4	1,401.78	1/4	1,731.21	1/4	2,060.65	1/4	2,390.10	1/4	2,719.54	1/4	3,048.94	1/4	3,378.28	1/4	3,707.62	1/4	4,035.88	1/4	4,363.95	1/4	4,691.77	1/4	
1/2	121.82	1/2	421.69	1/2	749.89	1/2	1,079.31	1/2	1,408.64	1/2	1,738.07	1/2	2,067.52	1/2	2,396.96	1/2	2,726.40	1/2	3,055.80	1/2	3,385.14	1/2	3,714.48	1/2	4,042.71	1/2	4,370.78	1/2	4,698.56	1/2	
3/4	127.56	3/4	428.42	3/4	756.75	3/4	1,086.17	3/4	1,415.50	3/4	1,744.94	3/4	2,074.38	3/4	2,403.82	3/4	2,733.27	3/4	3,062.66	3/4	3,392.00	3/4	3,721.35	3/4	4,049.55	3/4	4,377.62	3/4	4,705.34	3/4	
6	133.31	6	435.16	6	763.61	6	1,093.03	6	1,422.37	6	1,751.80	6	2,081.24	6	2,410.69	6	2,740.13	6	3,069.52	6	3,398.86	6	3,728.21	6	4,056.38	6	4,384.45	6	4,712.13	6	
1/4	139.15	1/4	441.97	1/4	770.47	1/4	1,099.89	1/4	1,429.23	1/4	1,758.66	1/4	2,088.11	1/4	2,417.55	1/4	2,746.99	1/4	3,076.38	1/4	3,405.73	1/4	3,735.07	1/4	4,063.22	1/4	4,391.29	1/4	4,718.88	1/4	
1/2	144.99	1/2	448.78	1/2	777.34	1/2	1,106.76	1/2	1,436.09	1/2	1,765.53	1/2	2,094.97	1/2	2,424.41	1/2	2,753.86	1/2	3,083.24	1/2	3,412.59	1/2	3,741.93	1/2	4,070.05	1/2	4,398.12	1/2	4,725.63	1/2	
3/4	150.83	3/4	455.59	3/4	784.20	3/4	1,113.62	3/4	1,442.95	3/4	1,772.39	3/4	2,101.83	3/4	2,431.28	3/4	2,760.72	3/4	3,090.11	3/4	3,419.45	3/4	3,748.79	3/4	4,076.89	3/4	4,404.96	3/4	4,732.39	3/4	
7	156.67	7	462.41	7	791.06	7	1,120.48	7	1,449.82	7	1,779.25	7	2,108.70	7	2,438.14	7	2,767.58	7	3,096.97	7	3,426.31	7	3,755.65	7	4,083.72	7	4,411.79	7	4,739.14	7	
1/4	162.59	1/4	469.08	1/4	797.93	1/4	1,127.34	1/4	1,456.68	1/4	1,786.12	1/4	2,115.56	1/4	2,445.00	1/4	2,774.45	1/4	3,103.83	1/4	3,433.17	1/4	3,762.49	1/4	4,090.56	1/4	4,418.63	1/4		1/4	
1/2	168.52	1/2	475.75	1/2	804.79	1/2	1,134.21	1/2	1,463.54	1/2	1,792.98	1/2	2,122.42	1/2	2,451.87	1/2	2,781.31	1/2	3,110.69	1/2	3,440.03	1/2	3,769.32	1/2	4,097.39	1/2	4,425.46	1/2		1/2	
3/4	174.44	3/4	482.42	3/4	811.65	3/4	1,141.07	3/4	1,470.40	3/4	1,799.84	3/4	2,129.29	3/4	2,458.73	3/4	2,788.17	3/4	3,117.55	3/4	3,446.89	3/4	3,776.16	3/4	4,104.23	3/4	4,432.30	3/4		3/4	
8	180.37	8	489.09	8	818.52	8	1,147.93	8	1,477.26	8	1,806.71	8	2,136.15	8	2,465.59	8	2,795.04	8	3,124.41	8	3,453.76	8	3,782.99	8	4,111.06	8	4,439.13	8		8	
1/4	186.37	1/4	495.95	1/4	825.38	1/4	1,154.79	1/4	1,484.13	1/4	1,813.57	1/4	2,143.01	1/4	2,472.46	1/4	2,801.90	1/4	3,131.27	1/4	3,460.62	1/4	3,789.83	1/4	4,117.90	1/4	4,445.97	1/4		1/4	
1/2	192.38	1/2	502.82	1/2	832.24	1/2	1,161.65	1/2	1,490.99	1/2	1,820.43	1/2	2,149.88	1/2	2,479.32	1/2	2,808.76	1/2	3,138.14	1/2	3,467.48	1/2	3,796.66	1/2	4,124.73	1/2	4,452.80	1/2		1/2	
3/4	198.39	3/4	509.68	3/4	839.10	3/4	1,168.51	3/4	1,497.85	3/4	1,827.30	3/4	2,156.74	3/4	2,486.18	3/4	2,815.63	3/4	3,145.00	3/4	3,474.34	3/4	3,803.50	3/4	4,131.57	3/4	4,459.64	3/4		3/4	
9	204.40	9	516.54	9	845.97	9	1,175.37	9	1,504.72	9	1,834.16	9	2,163.60	9	2,493.05	9	2,822.49	9	3,151.86	9	3,481.20	9	3,810.33	9	4,138.40	9	4,466.47	9		9	
1/4	210.48	1/4	523.41	1/4	852.83	1/4	1,182.23	1/4	1,511.58	1/4	1,841.02	1/4	2,170.47	1/4	2,499.91	1/4															



BARGE: MM 148

JEFFBOAT 14-2899

1 PORT

INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-01 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	14.35	0	278.42	0	598.90	0	928.32	0	1,257.59	0	1,586.72	0	1,916.17	0	2,245.61	0	2,575.05	0	2,904.50	0	3,233.84	0	3,563.18	0	3,891.99	0	4,220.06	0	4,548.13	0	
1/4	17.14	1/4	284.75	1/4	605.76	1/4	935.19	1/4	1,264.44	1/4	1,593.59	1/4	1,923.03	1/4	2,252.47	1/4	2,581.92	1/4	2,911.36	1/4	3,240.70	1/4	3,570.04	1/4	3,898.83	1/4	4,226.90	1/4	4,554.97	1/4	
1/2	19.93	1/2	291.08	1/2	612.63	1/2	942.05	1/2	1,271.30	1/2	1,600.45	1/2	1,929.89	1/2	2,259.34	1/2	2,588.78	1/2	2,918.22	1/2	3,247.56	1/2	3,576.90	1/2	3,905.66	1/2	4,233.73	1/2	4,561.80	1/2	
3/4	22.72	3/4	297.41	3/4	619.49	3/4	948.91	3/4	1,278.15	3/4	1,607.31	3/4	1,936.76	3/4	2,266.20	3/4	2,595.64	3/4	2,925.08	3/4	3,254.42	3/4	3,583.76	3/4	3,912.50	3/4	4,240.57	3/4	4,568.84	3/4	
1	25.51	1	303.74	1	626.35	1	955.78	1	1,285.01	1	1,614.18	1	1,943.62	1	2,273.06	1	2,602.51	1	2,931.94	1	3,261.28	1	3,590.63	1	3,919.33	1	4,247.40	1	4,575.47	1	
1/4	30.09	1/4	310.15	1/4	633.21	1/4	962.64	1/4	1,291.86	1/4	1,621.04	1/4	1,950.48	1/4	2,279.93	1/4	2,609.37	1/4	2,938.80	1/4	3,268.14	1/4	3,597.49	1/4	3,926.17	1/4	4,254.24	1/4	4,582.30	1/4	
1/2	34.67	1/2	316.56	1/2	640.08	1/2	969.50	1/2	1,298.71	1/2	1,627.90	1/2	1,957.35	1/2	2,286.79	1/2	2,616.23	1/2	2,945.66	1/2	3,275.01	1/2	3,604.35	1/2	3,933.00	1/2	4,261.07	1/2	4,589.14	1/2	
3/4	39.25	3/4	322.97	3/4	646.94	3/4	976.36	3/4	1,305.57	3/4	1,634.77	3/4	1,964.21	3/4	2,293.65	3/4	2,623.10	3/4	2,952.52	3/4	3,281.87	3/4	3,611.21	3/4	3,939.84	3/4	4,267.91	3/4	4,595.97	3/4	
2	43.82	2	329.38	2	653.80	2	983.23	2	1,312.42	2	1,641.63	2	1,971.07	2	2,300.52	2	2,629.96	2	2,959.39	2	3,288.73	2	3,618.07	2	3,946.67	2	4,274.74	2	4,602.80	2	
1/4	49.25	1/4	335.87	1/4	660.67	1/4	990.09	1/4	1,319.27	1/4	1,648.49	1/4	1,977.94	1/4	2,307.38	1/4	2,636.82	1/4	2,966.25	1/4	3,295.59	1/4	3,624.93	1/4	3,953.51	1/4	4,281.58	1/4	4,609.63	1/4	
1/2	54.68	1/2	342.36	1/2	667.53	1/2	996.95	1/2	1,326.13	1/2	1,655.36	1/2	1,984.80	1/2	2,314.24	1/2	2,643.69	1/2	2,973.11	1/2	3,302.45	1/2	3,631.79	1/2	3,960.34	1/2	4,288.41	1/2	4,616.46	1/2	
3/4	60.10	3/4	348.85	3/4	674.39	3/4	1,003.82	3/4	1,332.98	3/4	1,662.22	3/4	1,991.66	3/4	2,321.11	3/4	2,650.55	3/4	2,979.97	3/4	3,309.31	3/4	3,638.65	3/4	3,967.18	3/4	4,295.25	3/4	4,623.29	3/4	
3	65.53	3	355.34	3	681.26	3	1,010.68	3	1,339.84	3	1,669.08	3	1,998.53	3	2,327.97	3	2,657.41	3	2,986.83	3	3,316.17	3	3,645.52	3	3,974.01	3	4,302.08	3	4,630.12	3	
1/4	71.07	1/4	361.91	1/4	688.12	1/4	1,017.54	1/4	1,346.69	1/4	1,675.95	1/4	2,005.39	1/4	2,334.83	1/4	2,664.28	1/4	2,993.69	1/4	3,323.03	1/4	3,652.38	1/4	3,980.84	1/4	4,308.92	1/4	4,636.94	1/4	
1/2	76.62	1/2	368.48	1/2	694.98	1/2	1,024.41	1/2	1,353.54	1/2	1,682.81	1/2	2,012.25	1/2	2,341.70	1/2	2,671.14	1/2	3,000.55	1/2	3,329.90	1/2	3,659.24	1/2	3,987.68	1/2	4,315.75	1/2	4,643.76	1/2	
3/4	82.17	3/4	375.05	3/4	701.84	3/4	1,031.27	3/4	1,360.40	3/4	1,689.67	3/4	2,019.12	3/4	2,348.56	3/4	2,678.00	3/4	3,007.41	3/4	3,336.76	3/4	3,666.10	3/4	3,994.51	3/4	4,322.58	3/4	4,650.58	3/4	
4	87.71	4	381.62	4	708.71	4	1,038.13	4	1,367.25	4	1,696.54	4	2,025.98	4	2,355.42	4	2,684.87	4	3,014.28	4	3,343.62	4	3,672.96	4	4,001.35	4	4,329.42	4	4,657.40	4	
1/4	93.37	1/4	388.27	1/4	715.57	1/4	1,044.99	1/4	1,374.11	1/4	1,703.40	1/4	2,032.84	1/4	2,362.29	1/4	2,691.73	1/4	3,021.14	1/4	3,350.48	1/4	3,679.82	1/4	4,008.18	1/4	4,336.25	1/4	4,664.21	1/4	
1/2	99.02	1/2	394.92	1/2	722.43	1/2	1,051.86	1/2	1,380.96	1/2	1,710.26	1/2	2,039.71	1/2	2,369.15	1/2	2,698.59	1/2	3,028.00	1/2	3,357.34	1/2	3,686.68	1/2	4,015.02	1/2	4,343.09	1/2	4,671.01	1/2	
3/4	104.67	3/4	401.58	3/4	729.30	3/4	1,058.72	3/4	1,387.82	3/4	1,717.13	3/4	2,046.57	3/4	2,376.01	3/4	2,705.46	3/4	3,034.86	3/4	3,364.20	3/4	3,693.54	3/4	4,021.85	3/4	4,349.92	3/4	4,677.82	3/4	
5	110.32	5	408.23	5	736.16	5	1,065.58	5	1,394.67	5	1,723.99	5	2,053.43	5	2,382.88	5	2,712.32	5	3,041.72	5	3,371.06	5	3,700.41	5	4,028.69	5	4,356.76	5	4,684.63	5	
1/4	116.07	1/4	414.96	1/4	743.02	1/4	1,072.45	1/4	1,401.53	1/4	1,730.85	1/4	2,060.30	1/4	2,389.74	1/4	2,719.18	1/4	3,048.58	1/4	3,377.92	1/4	3,707.27	1/4	4,035.52	1/4	4,363.59	1/4	4,691.42	1/4	
1/2	121.82	1/2	421.69	1/2	749.89	1/2	1,079.31	1/2	1,408.38	1/2	1,737.72	1/2	2,067.16	1/2	2,396.60	1/2	2,726.05	1/2	3,055.44	1/2	3,384.79	1/2	3,714.13	1/2	4,042.36	1/2	4,370.43	1/2	4,698.20	1/2	
3/4	127.56	3/4	428.42	3/4	756.75	3/4	1,086.17	3/4	1,415.24	3/4	1,744.58	3/4	2,074.02	3/4	2,403.47	3/4	2,732.91	3/4	3,062.31	3/4	3,391.65	3/4	3,720.99	3/4	4,049.19	3/4	4,377.26	3/4	4,704.99	3/4	
6	133.31	6	435.16	6	763.61	6	1,093.03	6	1,422.09	6	1,751.44	6	2,080.89	6	2,410.33	6	2,739.77	6	3,069.17	6	3,398.51	6	3,727.85	6	4,056.03	6	4,384.10	6	4,711.78	6	
1/4	139.15	1/4	441.97	1/4	770.47	1/4	1,099.89	1/4	1,428.95	1/4	1,758.31	1/4	2,087.75	1/4	2,417.19	1/4	2,746.64	1/4	3,076.03	1/4	3,405.37	1/4	3,734.71	1/4	4,062.86	1/4	4,390.93	1/4	4,718.53	1/4	
1/2	144.99	1/2	448.78	1/2	777.34	1/2	1,106.76	1/2	1,435.81	1/2	1,765.17	1/2	2,094.61	1/2	2,424.06	1/2	2,753.50	1/2	3,082.89	1/2	3,412.23	1/2	3,741.57	1/2	4,069.70	1/2	4,397.77	1/2	4,725.28	1/2	
3/4	150.83	3/4	455.59	3/4	784.20	3/4	1,113.62	3/4	1,442.66	3/4	1,772.03	3/4	2,101.48	3/4	2,430.92	3/4	2,760.36	3/4	3,089.75	3/4	3,419.09	3/4	3,748.44	3/4	4,076.53	3/4	4,404.60	3/4	4,732.03	3/4	
7	156.67	7	462.41	7	791.06	7	1,120.48	7	1,449.52	7	1,778.90	7	2,108.34	7	2,437.78	7	2,767.23	7	3,096.61	7	3,425.95	7	3,755.30	7	4,083.37	7	4,411.44	7	4,738.78	7	
1/4	162.59	1/4	469.08	1/4	797.93	1/4	1,127.34	1/4	1,456.37	1/4	1,785.76	1/4	2,115.20	1/4	2,444.65	1/4	2,774.09	1/4	3,103.47	1/4	3,432.82	1/4	3,762.13	1/4	4,090.20	1/4	4,418.27	1/4			
1/2	168.52	1/2	475.75	1/2	804.79	1/2	1,134.21	1/2	1,463.23	1/2	1,792.62	1/2	2,122.07	1/2	2,451.51	1/2	2,780.95	1/2	3,110.33	1/2	3,439.68	1/2	3,768.97	1/2	4,097.04	1/2	4,425.11	1/2			
3/4	174.44	3/4	482.42	3/4	811.65	3/4	1,141.07	3/4	1,470.08	3/4	1,799.49	3/4	2,128.93	3/4	2,458.37	3/4	2,787.82	3/4	3,117.20	3/4	3,446.54	3/4	3,775.80	3/4	4,103.87	3/4	4,431.94	3/4			
8	180.37	8	489.09	8	818.52	8	1,147.93	8	1,476.94	8	1,806.35	8	2,135.79	8	2,465.24	8	2,794.68	8	3,124.06	8	3,453.40	8	3,782.64	8	4,110.71	8	4,438.78	8			
1/4	186.37	1/4	495.95	1/4	825.38	1/4	1,154.78	1/4	1,483.80	1/4	1,813.21	1/4	2,142.66	1/4	2,472.10	1/4	2,801.54	1/4	3,130.92	1/4	3,460.26	1/4	3,789.47	1/4	4,117.54	1/4	4,445.61	1/4			
1/2	192.38	1/2	502.82	1/2	832.24	1/2	1,161.64	1/2	1,490.66	1/2	1,820.08	1/2	2,149.52	1/2	2,478.96	1/2	2,808.41	1/2	3,137.78	1/2	3,467.12	1/2	3,796.31	1/2	4,124.38	1/2	4,452.45	1/2			
3/4	198.39	3/4	509.68	3/4	839.10	3/4	1,168.49	3/4	1,497.52	3/4	1,826.94	3/4	2,156.38	3/4	2,485.83	3/4	2,815.27	3/4	3,144.64	3/4	3,473.98	3/4	3,803.14	3/4	4,131.21	3/4	4,459.28	3/4			
9	204.40	9	516.54	9	845.97	9	1,175.34	9	1,504.38	9	1,833.80	9	2,163.25	9	2,492.69	9	2,822.13	9	3,151.50	9	3,480.84	9	3,809.97	9	4,138.05	9	4,466.12	9			
1/4	210.48	1/4	523.41	1/4	852.83	1/4	1,182.20	1/4	1,511.24	1/4	1,840.67	1/4	2,170.11	1/4	2,499.55	1/4	2,829.00	1/4	3,158												



BARGE: MM 148
JEFFBOAT 14-2899

SLOP TANK STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 6'-04 3/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	0	6	544	0	1,089	6	1,633	0	2,178	6	2,722	0	3,267	6	3,811	0	4,356	6	4,900	0	
1/8	11	1/8	556	1/8	1,100	1/8	1,645	1/8	2,189	1/8	2,734	1/8	3,278	1/8	3,823	1/8	4,367	1/8	4,911	1/8	
1/4	23	1/4	567	1/4	1,112	1/4	1,656	1/4	2,201	1/4	2,745	1/4	3,289	1/4	3,834	1/4	4,378	1/4	4,923	1/4	
3/8	34	3/8	578	3/8	1,123	3/8	1,667	3/8	2,212	3/8	2,756	3/8	3,301	3/8	3,845	3/8	4,390	3/8	4,934	3/8	
1/2	45	1/2	590	1/2	1,134	1/2	1,679	1/2	2,223	1/2	2,768	1/2	3,312	1/2	3,857	1/2	4,401	1/2	4,945	1/2	
5/8	57	5/8	601	5/8	1,146	5/8	1,690	5/8	2,235	5/8	2,779	5/8	3,323	5/8	3,868	5/8	4,412	5/8	4,957	5/8	
3/4	68	3/4	613	3/4	1,157	3/4	1,701	3/4	2,246	3/4	2,790	3/4	3,335	3/4	3,879	3/4	4,424	3/4	4,968	3/4	
7/8	79	7/8	624	7/8	1,168	7/8	1,713	7/8	2,257	7/8	2,802	7/8	3,346	7/8	3,891	7/8	4,435	7/8	4,979	7/8	
1	91	7	635	1	1,180	7	1,724	1	2,269	7	2,813	1	3,357	7	3,902	1	4,446	7	4,991	1	
1/8	102	1/8	647	1/8	1,191	1/8	1,735	1/8	2,280	1/8	2,824	1/8	3,369	1/8	3,913	1/8	4,458	1/8	5,002	1/8	
1/4	113	1/4	658	1/4	1,202	1/4	1,747	1/4	2,291	1/4	2,836	1/4	3,380	1/4	3,925	1/4	4,469	1/4	5,014	1/4	
3/8	125	3/8	669	3/8	1,214	3/8	1,758	3/8	2,303	3/8	2,847	3/8	3,391	3/8	3,936	3/8	4,480	3/8	5,025	3/8	
1/2	136	1/2	681	1/2	1,225	1/2	1,769	1/2	2,314	1/2	2,858	1/2	3,403	1/2	3,947	1/2	4,492	1/2	5,036	1/2	
5/8	147	5/8	692	5/8	1,236	5/8	1,781	5/8	2,325	5/8	2,870	5/8	3,414	5/8	3,959	5/8	4,503	5/8	5,048	5/8	
3/4	159	3/4	703	3/4	1,248	3/4	1,792	3/4	2,337	3/4	2,881	3/4	3,426	3/4	3,970	3/4	4,514	3/4	5,059	3/4	
7/8	170	7/8	715	7/8	1,259	7/8	1,804	7/8	2,348	7/8	2,892	7/8	3,437	7/8	3,981	7/8	4,526	7/8	5,070	7/8	
2	181	8	726	2	1,270	8	1,815	2	2,359	8	2,904	2	3,448	8	3,993	2	4,537	8	5,082	2	
1/8	193	1/8	737	1/8	1,282	1/8	1,826	1/8	2,371	1/8	2,915	1/8	3,460	1/8	4,004	1/8	4,548	1/8	5,093	1/8	
1/4	204	1/4	749	1/4	1,293	1/4	1,838	1/4	2,382	1/4	2,926	1/4	3,471	1/4	4,015	1/4	4,560	1/4	5,104	1/4	
3/8	216	3/8	760	3/8	1,304	3/8	1,849	3/8	2,393	3/8	2,938	3/8	3,482	3/8	4,027	3/8	4,571	3/8	5,116	3/8	
1/2	227	1/2	771	1/2	1,316	1/2	1,860	1/2	2,405	1/2	2,949	1/2	3,494	1/2	4,038	1/2	4,582	1/2	5,127	1/2	
5/8	238	5/8	783	5/8	1,327	5/8	1,872	5/8	2,416	5/8	2,960	5/8	3,505	5/8	4,049	5/8	4,594	5/8	5,138	5/8	
3/4	250	3/4	794	3/4	1,338	3/4	1,883	3/4	2,427	3/4	2,972	3/4	3,516	3/4	4,061	3/4	4,605	3/4	5,150	3/4	
7/8	261	7/8	805	7/8	1,350	7/8	1,894	7/8	2,439	7/8	2,983	7/8	3,528	7/8	4,072	7/8	4,617	7/8	5,161	7/8	
3	272	9	817	3	1,361	9	1,906	3	2,450	9	2,994	3	3,539	9	4,083	3	4,628	9	5,172	3	
1/8	284	1/8	828	1/8	1,372	1/8	1,917	1/8	2,461	1/8	3,006	1/8	3,550	1/8	4,095	1/8	4,639	1/8	5,184	1/8	
1/4	295	1/4	839	1/4	1,384	1/4	1,928	1/4	2,473	1/4	3,017	1/4	3,562	1/4	4,106	1/4	4,651	1/4	5,195	1/4	
3/8	306	3/8	851	3/8	1,395	3/8	1,940	3/8	2,484	3/8	3,029	3/8	3,573	3/8	4,117	3/8	4,662	3/8	5,206	3/8	
1/2	318	1/2	862	1/2	1,407	1/2	1,951	1/2	2,495	1/2	3,040	1/2	3,584	1/2	4,129	1/2	4,673	1/2	5,218	1/2	
5/8	329	5/8	873	5/8	1,418	5/8	1,962	5/8	2,507	5/8	3,051	5/8	3,596	5/8	4,140	5/8	4,685	5/8	5,229	5/8	
3/4	340	3/4	885	3/4	1,429	3/4	1,974	3/4	2,518	3/4	3,063	3/4	3,607	3/4	4,151	3/4	4,696	3/4	5,240	3/4	
7/8	352	7/8	896	7/8	1,441	7/8	1,985	7/8	2,529	7/8	3,074	7/8	3,618	7/8	4,163	7/8	4,707	7/8	5,252	7/8	
4	363	10	907	4	1,452	10	1,996	4	2,541	10	3,085	4	3,630	10	4,174	4	4,719	10	5,263	4	
1/8	374	1/8	919	1/8	1,463	1/8	2,008	1/8	2,552	1/8	3,097	1/8	3,641	1/8	4,185	1/8	4,730	1/8	5,273	1/8	
1/4	386	1/4	930	1/4	1,475	1/4	2,019	1/4	2,563	1/4	3,108	1/4	3,652	1/4	4,197	1/4	4,741	1/4	5,282	1/4	
3/8	397	3/8	941	3/8	1,486	3/8	2,030	3/8	2,575	3/8	3,119	3/8	3,664	3/8	4,208	3/8	4,753	3/8	5,292	3/8	
1/2	408	1/2	953	1/2	1,497	1/2	2,042	1/2	2,586	1/2	3,131	1/2	3,675	1/2	4,220	1/2	4,764	1/2	5,301	1/2	
5/8	420	5/8	964	5/8	1,509	5/8	2,053	5/8	2,598	5/8	3,142	5/8	3,686	5/8	4,231	5/8	4,775	5/8	5,311	5/8	
3/4	431	3/4	975	3/4	1,520	3/4	2,064	3/4	2,609	3/4	3,153	3/4	3,698	3/4	4,242	3/4	4,787	3/4	5,320	3/4	
7/8	442	7/8	987	7/8	1,531	7/8	2,076	7/8	2,620	7/8	3,165	7/8	3,709	7/8	4,254	7/8	4,798	7/8		7/8	
5	454	11	998	5	1,543	11	2,087	5	2,632	11	3,176	5	3,720	11	4,265	5	4,809	11		5	
1/8	465	1/8	1,010	1/8	1,554	1/8	2,098	1/8	2,643	1/8	3,187	1/8	3,732	1/8	4,276	1/8	4,821	1/8		1/8	
1/4	476	1/4	1,021	1/4	1,565	1/4	2,110	1/4	2,654	1/4	3,199	1/4	3,743	1/4	4,288	1/4	4,832	1/4		1/4	
3/8	488	3/8	1,032	3/8	1,577	3/8	2,121	3/8	2,666	3/8	3,210	3/8	3,754	3/8	4,299	3/8	4,843	3/8		3/8	
1/2	499	1/2	1,044	1/2	1,588	1/2	2,132	1/2	2,677	1/2	3,221	1/2	3,766	1/2	4,310	1/2	4,855	1/2		1/2	
5/8	510	5/8	1,055	5/8	1,599	5/8	2,144	5/8	2,688	5/8	3,233	5/8	3,777	5/8	4,322	5/8	4,866	5/8		5/8	
3/4	522	3/4	1,066	3/4	1,611	3/4	2,155	3/4	2,700	3/4	3,244	3/4	3,788	3/4	4,333	3/4	4,877	3/4		3/4	
7/8	533	7/8	1,078	7/8	1,622	7/8	2,166	7/8	2,711	7/8	3,255	7/8	3,800	7/8	4,344	7/8	4,889	7/8		7/8	

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE.

DATE STRAPPED: 11/27/2015 BY: JMF
DATE COMPUTED: 12/02/2015 BY: CL
DATE ISSUED: 12/02/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.



BARGE: MM 148
JEFFBOAT 14-2899

SLOP TANK PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 6'-05"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	0	6	563	0	1,127	6	1,690	0	2,254	6	2,817	0	3,381	6	3,944	0	4,508	6	5,071	0	
1/8	12	1/8	575	1/8	1,139	1/8	1,702	1/8	2,266	1/8	2,829	1/8	3,393	1/8	3,956	1/8	4,520	1/8	5,083	1/8	
1/4	23	1/4	587	1/4	1,150	1/4	1,714	1/4	2,277	1/4	2,841	1/4	3,404	1/4	3,968	1/4	4,531	1/4	5,095	1/4	
3/8	35	3/8	599	3/8	1,162	3/8	1,726	3/8	2,289	3/8	2,853	3/8	3,416	3/8	3,980	3/8	4,543	3/8	5,107	3/8	
1/2	47	1/2	610	1/2	1,174	1/2	1,737	1/2	2,301	1/2	2,864	1/2	3,428	1/2	3,991	1/2	4,555	1/2	5,118	1/2	
5/8	59	5/8	622	5/8	1,186	5/8	1,749	5/8	2,313	5/8	2,876	5/8	3,440	5/8	4,003	5/8	4,567	5/8	5,130	5/8	
3/4	70	3/4	634	3/4	1,197	3/4	1,761	3/4	2,324	3/4	2,888	3/4	3,451	3/4	4,015	3/4	4,578	3/4	5,142	3/4	
7/8	82	7/8	646	7/8	1,209	7/8	1,773	7/8	2,336	7/8	2,900	7/8	3,463	7/8	4,027	7/8	4,590	7/8	5,154	7/8	
1	94	7	657	1	1,221	7	1,784	1	2,348	7	2,911	1	3,475	7	4,038	1	4,602	7	5,165	1	
1/8	106	1/8	669	1/8	1,233	1/8	1,796	1/8	2,360	1/8	2,923	1/8	3,487	1/8	4,050	1/8	4,614	1/8	5,177	1/8	
1/4	117	1/4	681	1/4	1,244	1/4	1,808	1/4	2,371	1/4	2,935	1/4	3,498	1/4	4,062	1/4	4,625	1/4	5,189	1/4	
3/8	129	3/8	693	3/8	1,256	3/8	1,820	3/8	2,383	3/8	2,947	3/8	3,510	3/8	4,074	3/8	4,637	3/8	5,201	3/8	
1/2	141	1/2	704	1/2	1,268	1/2	1,831	1/2	2,395	1/2	2,958	1/2	3,522	1/2	4,085	1/2	4,649	1/2	5,212	1/2	
5/8	153	5/8	716	5/8	1,280	5/8	1,843	5/8	2,407	5/8	2,970	5/8	3,534	5/8	4,097	5/8	4,661	5/8	5,224	5/8	
3/4	164	3/4	728	3/4	1,291	3/4	1,855	3/4	2,418	3/4	2,982	3/4	3,545	3/4	4,109	3/4	4,672	3/4	5,236	3/4	
7/8	176	7/8	740	7/8	1,303	7/8	1,867	7/8	2,430	7/8	2,994	7/8	3,557	7/8	4,121	7/8	4,684	7/8	5,248	7/8	
2	188	8	751	2	1,315	8	1,878	2	2,442	8	3,005	2	3,569	8	4,132	2	4,696	8	5,259	2	
1/8	200	1/8	763	1/8	1,327	1/8	1,890	1/8	2,454	1/8	3,017	1/8	3,581	1/8	4,144	1/8	4,708	1/8	5,271	1/8	
1/4	211	1/4	775	1/4	1,338	1/4	1,902	1/4	2,465	1/4	3,029	1/4	3,592	1/4	4,156	1/4	4,719	1/4	5,283	1/4	
3/8	223	3/8	787	3/8	1,350	3/8	1,914	3/8	2,477	3/8	3,041	3/8	3,604	3/8	4,168	3/8	4,731	3/8	5,295	3/8	
1/2	235	1/2	798	1/2	1,362	1/2	1,925	1/2	2,489	1/2	3,052	1/2	3,616	1/2	4,179	1/2	4,743	1/2	5,306	1/2	
5/8	247	5/8	810	5/8	1,374	5/8	1,937	5/8	2,501	5/8	3,064	5/8	3,628	5/8	4,191	5/8	4,754	5/8	5,318	5/8	
3/4	258	3/4	822	3/4	1,385	3/4	1,949	3/4	2,512	3/4	3,076	3/4	3,639	3/4	4,203	3/4	4,766	3/4	5,330	3/4	
7/8	270	7/8	834	7/8	1,397	7/8	1,960	7/8	2,524	7/8	3,087	7/8	3,651	7/8	4,214	7/8	4,778	7/8	5,341	7/8	
3	282	9	845	3	1,409	9	1,972	3	2,536	9	3,099	3	3,663	9	4,226	3	4,790	9	5,353	3	
1/8	293	1/8	857	1/8	1,420	1/8	1,984	1/8	2,547	1/8	3,111	1/8	3,674	1/8	4,238	1/8	4,801	1/8	5,365	1/8	
1/4	305	1/4	869	1/4	1,432	1/4	1,996	1/4	2,559	1/4	3,123	1/4	3,686	1/4	4,250	1/4	4,813	1/4	5,377	1/4	
3/8	317	3/8	880	3/8	1,444	3/8	2,007	3/8	2,571	3/8	3,134	3/8	3,698	3/8	4,261	3/8	4,825	3/8	5,388	3/8	
1/2	329	1/2	892	1/2	1,456	1/2	2,019	1/2	2,583	1/2	3,146	1/2	3,710	1/2	4,273	1/2	4,837	1/2	5,400	1/2	
5/8	340	5/8	904	5/8	1,467	5/8	2,031	5/8	2,594	5/8	3,158	5/8	3,721	5/8	4,285	5/8	4,848	5/8	5,412	5/8	
3/4	352	3/4	916	3/4	1,479	3/4	2,043	3/4	2,606	3/4	3,170	3/4	3,733	3/4	4,297	3/4	4,860	3/4	5,424	3/4	
7/8	364	7/8	927	7/8	1,491	7/8	2,054	7/8	2,618	7/8	3,181	7/8	3,745	7/8	4,308	7/8	4,872	7/8	5,435	7/8	
4	376	10	939	4	1,503	10	2,066	4	2,630	10	3,193	4	3,757	10	4,320	4	4,884	10	5,447	4	
1/8	387	1/8	951	1/8	1,514	1/8	2,078	1/8	2,641	1/8	3,205	1/8	3,768	1/8	4,332	1/8	4,895	1/8	5,457	1/8	
1/4	399	1/4	963	1/4	1,526	1/4	2,090	1/4	2,653	1/4	3,217	1/4	3,780	1/4	4,344	1/4	4,907	1/4	5,467	1/4	
3/8	411	3/8	974	3/8	1,538	3/8	2,101	3/8	2,665	3/8	3,228	3/8	3,792	3/8	4,355	3/8	4,919	3/8	5,477	3/8	
1/2	423	1/2	986	1/2	1,550	1/2	2,113	1/2	2,677	1/2	3,240	1/2	3,804	1/2	4,367	1/2	4,931	1/2	5,487	1/2	
5/8	434	5/8	998	5/8	1,561	5/8	2,125	5/8	2,688	5/8	3,252	5/8	3,815	5/8	4,379	5/8	4,942	5/8	5,496	5/8	
3/4	446	3/4	1,010	3/4	1,573	3/4	2,137	3/4	2,700	3/4	3,264	3/4	3,827	3/4	4,391	3/4	4,954	3/4	5,506	3/4	
7/8	458	7/8	1,021	7/8	1,585	7/8	2,148	7/8	2,712	7/8	3,275	7/8	3,839	7/8	4,402	7/8	4,966	7/8		7/8	
5	470	11	1,033	5	1,597	11	2,160	5	2,724	11	3,287	5	3,851	11	4,414	5	4,978	11		5	
1/8	481	1/8	1,045	1/8	1,608	1/8	2,172	1/8	2,735	1/8	3,299	1/8	3,862	1/8	4,426	1/8	4,989	1/8		1/8	
1/4	493	1/4	1,057	1/4	1,620	1/4	2,184	1/4	2,747	1/4	3,311	1/4	3,874	1/4	4,438	1/4	5,001	1/4		1/4	
3/8	505	3/8	1,068	3/8	1,632	3/8	2,195	3/8	2,759	3/8	3,322	3/8	3,886	3/8	4,449	3/8	5,013	3/8		3/8	
1/2	517	1/2	1,080	1/2	1,644	1/2	2,207	1/2	2,771	1/2	3,334	1/2	3,898	1/2	4,461	1/2	5,025	1/2		1/2	
5/8	528	5/8	1,092	5/8	1,655	5/8	2,219	5/8	2,782	5/8	3,346	5/8	3,909	5/8	4,473	5/8	5,036	5/8		5/8	
3/4	540	3/4	1,104	3/4	1,667	3/4	2,231	3/4	2,794	3/4	3,357	3/4	3,921	3/4	4,484	3/4	5,048	3/4		3/4	
7/8	552	7/8	1,115	7/8	1,679	7/8	2,242	7/8	2,806	7/8	3,369	7/8	3,933	7/8	4,496	7/8	5,060	7/8		7/8	

NOTE: GAUGE POINT: TO TOP LIP OF 2" BALL VALVE.

DATE STRAPPED: 11/27/2015 BY: JMF
DATE COMPUTED: 12/02/2015 BY: CL
DATE ISSUED: 12/02/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.